




Marc[®] and Mentat[®]

2019 Feature Pack 1



Installation and Operations Guide

Corporate

MSC Software Corporation
4675 MacArthur Court, Suite 900
Newport Beach, CA 92660
Telephone: (714) 540-8900
Toll Free Number: 1 855 672 7638
Email: americas.contact@mscsoftware.com

Europe, Middle East, Africa

MSC Software GmbH
Am Moosfeld 13
81829 Munich, Germany
Telephone: (49) 89 431 98 70
Email: europe@mscsoftware.com

Japan

MSC Software Japan Ltd.
Shinjuku First West 8F
23-7 Nishi Shinjuku
1-Chome, Shinjuku-Ku
Tokyo 160-0023, JAPAN
Telephone: (81) (3)-6911-1200
Email: MSCJ.Market@mscsoftware.com

Asia-Pacific

MSC Software (S) Pte. Ltd.
100 Beach Road
#16-05 Shaw Tower
Singapore 189702
Telephone: 65-6272-0082
Email: APAC.Contact@mscsoftware.com

Worldwide Web

www.mscsoftware.com

User Documentation: Copyright © 2019 MSC Software Corporation. All Rights Reserved.

This document, and the software described in it, are furnished under license and may be used or copied only in accordance with the terms of such license. Any reproduction or distribution of this document, in whole or in part, without the prior written authorization of MSC Software Corporation is strictly prohibited.

MSC Software Corporation reserves the right to make changes in specifications and other information contained in this document without prior notice. The concepts, methods, and examples presented in this document are for illustrative and educational purposes only and are not intended to be exhaustive or to apply to any particular engineering problem or design. THIS DOCUMENT IS PROVIDED ON AN "AS-IS" BASIS AND ALL EXPRESS AND IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

MSC Software logo, MSC, MSC Nastran, Adams, Dytran, Marc, Mentat, and Patran are trademarks or registered trademarks of MSC Software Corporation or its subsidiaries in the United States and/or other countries.

NASTRAN is a registered trademark of NASA. Python is a trademark of the Python Software Foundation. Parasolid is a registered trademark of Siemens Product Lifecycle Management Software, Inc. All other trademarks are the property of their respective owners.

This software may contain certain third-party software that is protected by copyright and licensed from MSC Software suppliers. Additional terms and conditions and/or notices may apply for certain third party software. Such additional third party software terms and conditions and/or notices may be set forth in documentation and/or at <http://web.mscsoftware.com/thirdpartysoftware> (or successor website designated by MSC from time to time).

METIS is copyrighted by the regents of the University of Minnesota. MS MPI is developed by Microsoft Corporation. PCGLSS 8.0, Copyright © 1992-2019 Computational Applications and System Integration Inc. All rights reserved. Portions of this software are owned by Siemens Product Lifecycle Management Software, Inc. © Copyright 2019.

Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in FAR 12.212 (Commercial Computer Software) and DFARS 227.7202 (Commercial Computer Software and Commercial Computer Software Documentation), as applicable.

U.S. Patent 9,361,413

Documentation Feedback

At MSC Software, we strive to produce the highest quality documentation and welcome your feedback. If you have comments or suggestions about our documentation, write to us at: documentation-feedback@mscsoftware.com.

Please include the following information with your feedback:

- Document name
- Release/Version number
- Chapter/Section name
- Topic title (for Online Help)
- Brief description of the content (for example, incomplete/incorrect information, grammatical errors, information that requires clarification or more details and so on).
- Your suggestions for correcting/improving documentation

You may also provide your feedback about MSC Software documentation by taking a short 5-minute survey at: <http://msc-documentation.questionpro.com>.

Note:	The above mentioned e-mail address is only for providing documentation specific feedback. If you have any technical problems, issues, or queries, please contact Technical Support .
--------------	--

Contents

Installation and Operations Guide

Preface

About This Guide	9
Purpose of This Guide	9
Contents of This Guide	10
Typographical Conventions	11

SECTION 1: MICROSOFT WINDOWS

1 Prerequisites for Marc and Mentat

Installation Prerequisites	18
Supported Platforms	19

2 Marc and Mentat Installation

Installation Procedure	21
Install MSC Licensing Helium	21
Install Marc and Mentat	30
Install Marc and Mentat Documentation	36
Set Environment Variables and Verify Installation	40
FLEXlm 11.13 VS Helium(11.16.3.0) License Manager	43
Installation Information	44
Managing FLEXlm	46
FLEXlm License File	46
FLEXlm License Manager	47
Environment Variables	47
Client/Server Licensing	48
Configuring the Marc DCOM Server	48
Specifying the Logon User	48

Testing the installation	50
Mentat Support	51
Troubleshooting	51

3 Running and Using Marc and Mentat

Running Marc.	55
Running Mentat	57
Making Changes to the Marc Programs	60
Modifying the MPI Setting: selecting MPI version	60
Setting defaults with the <code>run_marc_defaults</code> file	61
Mentat Interfaces	61
Mentat External Programs	61
Jobs	61
Plotter Interface	61
PostScript	62
Edit	62
System Shell	62
AVI Playback	62
MPEG Playback	62

4 Marc Parallel Network

Hardware and Software Requirements	65
Definitions	67
Network Configuration	67
Installation Notes	68
User Notes	69
How to Run a Network Job	69
Specification of the Host File	70
Shared I/O	71
Distributed I/O	71
Shared vs. Distributed I/O	77
Jobs with User Subroutine	77

5 Windows Troubleshooting

General	79
FLEXlm 11.13 VS Helium(11.16.3.0) License Manager	79
Marc Parallel Network	82

SECTION 2: LINUX

6 Prerequisites for Marc and Mentat

Installation Prerequisites	89
Supported Platforms	90

7 Marc and Mentat Installation

Installation Procedure	93
Install MSC Licensing Helium	93
Install Marc and Mentat	100
Install Documentation	107
Verify Installation	109
Installation Information	111
Installation Summary	112
Managing FLEXlm	114
FLEXlm License File	114
FLEXlm License Manager	115
Environment Variables	115
Machine hostid	115

8 Running and Using Marc and Mentat

Running Marc	117
Running Mentat	120
Making Changes to the Marc Programs	123
Modifying the MPI Setting	123
Setting defaults with the <code>run_marc_defaults</code> file	123
Mentat Interfaces	123
Mentat External Programs	123
Jobs	123
Plotter Interface	124
PostScript	125
Xdump	125
Edit	125
System Shell	125
Parallel Render	125
MPEG Playback	126

9 Marc Parallel Network

Hardware and Software Requirements **128**

 Compatibility 128

 Definitions 128

 Network Configuration 129

Installation Notes **130**

User Notes **131**

 Running a network job 131

 Specification of the Host File 131

 Shared I/O 132

 Distributed I/O 132

 Shared vs. Distributed I/O. 139

 Jobs with User Subroutine 139

 Troubleshooting 139

10 Linux Troubleshooting

SECTION 3: APPENDICES

A Microsoft Windows: Marc Subdirectories and Installation

Marc Subdirectories **149**

FLEXlm 11.13 VS Helium(11.16.3.0) License Manager **150**

Installation Procedure **151**

B Microsoft Windows: Mentat Files and Subdirectories

Mentat Files and Subdirectories **156**

C Linux: Marc/Mentat Files, Subdirectories and Installation

Marc Files and Subdirectories **158**

Mentat Files and Subdirectories **159**

Installation Procedure **160**

Preface

- About This Guide 9
- Purpose of This Guide 9
- Contents of This Guide 10
- Typographical Conventions 11

About This Guide

This Guide is *Marc Installation and Operations Guide*. It contains information about installing and running Marc, Mentat and its components. The other Marc documents are as follows:

Marc Documentation	
TITLE	VOLUME
<i>Theory and User Information</i>	Volume A
<i>Element Library</i>	Volume B
<i>Program Input</i>	Volume C
<i>User Subroutines and Special Routines</i>	Volume D
<i>Demonstration Problems</i>	Volume E
<i>Release Guide</i>	

You will find references to these documents throughout this guide.

Purpose of This Guide

This guide explains the procedure for installing Marc and Mentat. It also describes how to install the associated documentation. This purpose of this guide is to:

- Help you install the licensing server on Windows and Linux platforms.
- Help you install Marc and Mentat on Windows and Linux platforms.
- Identify and ensure that the installation is successful.
- Provide you with basic troubleshooting.
- Provide you information about files, directories, and their location in the installed folders.
- Inform you about using Marc and Mentat on parallel networks.

Contents of This Guide

The principal categories of information are found under the following titles:

Chapter	Title	Description
SECTION 1: MICROSOFT WINDOWS		
Chapter 1	Prerequisites for Marc and Mentat	Describes the prerequisites required for the installation and usage of the Marc and Mentat programs on Microsoft Windows platforms.
Chapter 2	Marc and Mentat Installation	Provides a detailed installation procedure of Marc and Mentat on Microsoft Windows platforms The instructions provided in this chapter require a basic knowledge of the machine on which you are loading the Marc products. Also contains a section with details about the installation procedure and a section about the license management utility.
Chapter 3	Running and Using Marc and Mentat	Explains running and usage of the Marc and Mentat for Microsoft Windows platforms. Sections related to Mentat external programs and making changes to MPI settings are also discussed in this chapter.
Chapter 4	Marc Parallel Network	Provides the general description about the hardware and software requirements and definitions.Provides a step-by-step approach to installation of the network version. Provides miscellaneous information about executing a parallel job over a network and use of user subroutines.
Chapter 5	Windows Troubleshooting	This chapter contains information about troubleshooting general and problems.
SECTION 2: LINUX		
Chapter 6	Prerequisites for Marc and Mentat	Contains information regarding the necessary prerequisites (related to hardware and software) for installing and running Marc and Mentat. There is also a section which informs us about the supported platforms by this version.
Chapter 7	Marc and Mentat Installation	Detailed procedure about installing Marc and Mentat on Linux platforms is explained here
Chapter 8	Running and Using Marc and Mentat	In this chapter running and using Marc and Mentat is described. Sections such as modifying MPI settings and Mentat interfaces are also discussed in this chapter.
Chapter 9	Marc Parallel Network	Provides the general description about the hardware and software requirements and definitions.Provides a step-by-step approach to installation of the network version. Provides miscellaneous information about executing a parallel job over a network and use of user subroutines.

Chapter	Title	Description
Chapter 10	Linux Troubleshooting	This chapter contains information about troubleshooting general and problems.
SECTION 3: APPENDICES		
Appendix A	Microsoft Windows: Marc Subdirectories and Installation	Contains information regarding Marc subdirectories and the old installation procedure for windows platform
Appendix B	Microsoft Windows: Mentat Files and Subdirectories	Mentat files and subdirectories are mentioned in this file.
Appendix C	Linux: Marc/Mentat Files, Subdirectories and Installation	Marc/Mentat files, subdirectories and the old installation procedure for Linux platform are briefly described.

The information in this manual is both descriptive and theoretical. You will find some techniques discussed detail. You will also find specific instructions for operating the various options offered by Marc and Mentat.

Typographical Conventions

The section provides a brief overview of the typographical conventions used in the document to help the user better follow the MSC Nastran documentation.

This section describes some syntax that will help you in understanding text in the various chapters and thus in facilitating your learning process. It contains stylistic conventions to denote user action, to emphasize particular aspects of Marc and Mentat to signal other differences within the text.

Adobe Garamond Pro	Body and general text
Courier New	<ul style="list-style-type: none">■ Represents command-line options of Marc and .■ Directory names and paths■ File names and Paths■ Linux terminal script Example: <code>lmreread -c <parent>/msc/MSCLicensing/licenses/license.dat</code>
Bold Text	<ul style="list-style-type: none">■ Highlights■ Dialog box names■ Buttons■ Menus■ User inputs■ The commands/user inputs for all descriptions related to terminal commands.■ Default values Example: <code>[root@vm-tmrhel173 MSC]# ./msc_licensing_helium_linux64.bin</code>

HelveticaNeueLT Pro Cn 57	<div><div><div>■</div>Hyperlinks</div><div><div>■</div>Weblinks</div></div> <div>Example: Appendix. A: Microsoft Windows: Marc Subdirectories and Installation</div>
Italic Text	<div>Represents references to books.</div> <div>Example: <i>Volume A:Theory and User Information</i></div>
20XX	<div>Represents the latest version number.</div>

SECTION 1: MICROSOFT WINDOWS

1

Prerequisites for Marc and Mentat

- Installation Prerequisites 18
- Supported Platforms 19

The requirements of Marc and Mentat are as in the following table:

Table 1-1 Requirements of Marc & Mentat

Operating System	Windows 7, Windows 10, or Windows 2016 Server.
CPU	X86-64
Graphics Card	SVGA or better running in at least 16 bit (64k) color mode
Hard Drive	Minimum: <ul style="list-style-type: none">■ 950 MB Marc■ 800 MB Mentat■ 350 MB documentation
DVD Drive	Required for media based installation. Not required for electronic download installation.
Ethernet Card	An ethernet card is required. Also, Microsoft TCP/IP Service must be installed.
Mouse	Three button mouse is recommended
Memory	Minimum 8 GB Recommended 16 GB
Fortran Compiler	A Fortran compiler is necessary if user subroutines are to be used. For other cases, no compiler is needed. The compiler needs to be compatible with the one used in the Marc build. For a list of supported compilers, refer to the <i>Marc and Mentat Release Guide</i> .

The instructions provided in this chapter require a basic knowledge of the machine on which you are loading the Marc products. No attempt is made to teach the use of Microsoft Windows commands.

This document contains a section containing details about the installation procedure, a section concerning the usage of the Marc and Mentat programs and a section about the license management utility.

Troubleshooting related hints are provided in [Chapter 5: Windows Troubleshooting](#).

Note:

If you encounter a problem during installation, please contact the customer support staff at the nearest MSC Software office.

Installation Prerequisites

Before installing the software	<p>The product is available for download at the MSC Solutions Download Center available at https://mscsoftware.subscribenet.com</p> <ol style="list-style-type: none"> 1. Select the product Marc and select the 20XX version on the next level. 2. Download the installer for your platform. The FLEXlm security is installed separately. 3. Select the product MSC Licensing FLEXlm and the version 11.13 on the next level. 4. Download the installer for your platform. 5. Decide where you want the product to be installed and where to perform the installation. Marc requires approximately 950 Mbytes of permanent disk storage capacity. Mentat requires approximately 800 Mbytes of permanent disk storage capacity. Documentation, stored in the separate documentation directories <code>doc</code> and <code>examples</code>, contains approximately 350 Mbytes of data. It is preferred to first install security, then Marc and/or Mentat and finally the documentation.
Password protection	<p>The Marc and Mentat version you have received is protected against illegal usage by means of Flexera Software's FLEXlm licensing software. You <i>cannot</i> run the program directly after you have installed the product from the installation media until you obtain a license file from MSC Software Corporation.</p>
Should I be Administrator?	<p>You need not to be logged in as <i>Administrator</i>. However, you will need administrator privileges since the system registry will be updated. Also, check that you have read and write permissions to the installation directory.</p>
Fortran compiler	<p>A Fortran compiler is necessary if you will use user subroutines. For other cases, no compiler is needed.</p> <div data-bbox="301 1194 1288 1394"> <p>Note: After you install the Fortran compiler, make sure that all users have their PATH and LIB environment variable include the path to the Fortran compiler. Otherwise using user subroutines will not work properly.</p> <p>See Chapter 5: Windows Troubleshooting for important information regarding requirements for Intel Fortran compiler.</p> </div>

Computer Name	Your machine must have a computer name (host name). If no computer name is known, supply one by using the Control Panel\Network applet to set the Computer Name . You should also make sure the Host Name specified in the DNS tab of Network\Protocols\TCP/IP Protocol is the same as the “Computer Name”.
Previous Versions	If you have previous versions of Marc and/or Mentat installed, you may want to adjust your PATH environment variable to remove the reference to the previous version.
NVIDIA driver	An NVIDIA driver is necessary if the GPGPU capability is to be used on Windows 64-bit machines. For other cases, no special driver is needed. The driver needs to be compatible with the one used in the Marc build; see <i>Marc Volume A: Theory and User Information</i> , Chapter 13 for the minimum driver version supported.

Supported Platforms

The supported Windows platforms are listed below:

Type	OS	Hardware	Fortran Version	Default MPI
Windows (64-bit)	Windows 7 Windows 10 Windows 2016 Server	Intel EM64T or AMD Opteron	Intel Fortran 17 ¹	Intel MPI 2018 Update 1 ²
¹ For user subroutines, Intel Fortran 17 and Microsoft Visual Studio 2017 are required.				
² MS-MPI is also supported.				

Note:	Installation of a Fortran compiler is only required if you need to run Marc with user subroutines.
-------	--

2

Marc and Mentat Installation

- Installation Procedure 21
- FLEXlm 11.13 VS Helium(11.16.3.0) License Manager 43
- Installation Information 44
- Managing FLEXlm 46
- Configuring the Marc DCOM Server 48

Installation Procedure

The installation of Marc (Marc and Mentat) can be done in four steps as follows:

1. Install MSC licensing Helium (security)
2. Install Marc and Mentat
3. Install Marc and Mentat documentation
4. Set environment variables and verify installation

Note:


For old installation procedure, refer to [Appendix. A: Microsoft Windows: Marc Subdirectories and Installation](#)

Ignore step 1 if the license manager is already installed.

Install MSC Licensing Helium

1. Download [msc_licensing_helium_windows64.exe](#) from MSC download center.
 - Default installation directory is `C:\Program Files\MSC.Software\MSC Licensing\Helium`
 - Obtain a license file from MSC Software. If a nodelocked license is to be used, then obtain FLEXlm hostid with
 - `C:\Program Files\MSC.Software\MSC Licensing\Helium\lmtools`
 - Select the **System Settings** tab and click on **Save HOSTID Info to a File**.
 - Copy the license file to the proper location. The standard location is:
`C:\Program Files\MSC.Software\MSC Licensing\Helium\license.dat`
2. Run the executable file.
 - If your system already has the older version of the MSC Licensing Server then it will show the following message:
11.13 License Server process currently running. Do you want to un-install 11.13 license server?
 - Click **Yes** to continue.

The **MSC Licensing Helium** window appears.




Note:

- The *MSC Licensing Helium User's Guide* opens up automatically the moment you run `msc_licensing_helium_windows64.exe`. For detailed information, refer to the *MSC Licensing Helium User's Guide*.
- For detailed and elaborated information specific to Marc and Mentat installation refer to [Appendix. A: Microsoft Windows: Marc Subdirectories and Installation](#)

3. Click Next.


The **Installer Requirements** window appears.



You need a valid MSC Software license, HostName and HostID to fulfil the requirements.

4. Click Next.

The Choose Destination Folders window appears. Specify paths for License Manager Executable Folder and License Manager Log File Folder.




5. Click **Browse** and specify the path for the folders as follows:

- **License Manager Executable Folder**
C:\Program Files\MSC Software\MSC Licensing\Helium
- **License Manager Log File Folder**
C:\MSC Software\MSC Licensing\Helium\LOG

6. Click **Next**.

The **Select the License File** window appears.



7. Click **Browse** and select your `license.dat` file.

Review the license file details.


- If one or more feature entries in the license file has expired, the following error message appears:
One or more FEATURE entries have maintenance end dates that have expired. These licenses can be used only by MSC products that were released prior to the maintenance expiration dare on the FEATURE entry.

Click **OK** to continue

- In case you face any problems related to the licensing, contact:
msc_lic.support@mscsoftware.com or,
[MSC Software support center](#)


8. Click **Next**.

The Automatic Reporting of Usage Data window usage appears.



9. Click Next.

The **License Server Settings** window appears.




The screenshot shows the 'License Server Settings' window for MSC Licensing Helium. The window has a title bar with 'MSC Licensing Helium' and a close button. The main content area is dark gray with white text. It starts with the title 'License Server Settings' and a prompt: 'Please define the desired license manager settings.' Below this are three input fields: 'Port:', 'Hostname:', and 'Option File Path(Optional):'. The 'Option File Path(Optional):' field has a 'Browse' button next to it. Below these fields is a section titled 'Select the privilege level for license manager access. (e.g. Server Start/Stop Functions)'. Under this title, there are two radio buttons: 'Admin/Supervisor' (which is selected) and 'Any'. Below the radio buttons is a checkbox labeled 'Start the server automatically', which is also checked. At the bottom of the window, there is a logo for 'MSC Software' and three buttons: '< Back', 'Next >', and 'Cancel'.

10. Enter port number and hostname.

11. Click **Next**.

A window about the files are being copied will appear.




12. Click **Next**. The files are copied.

The MSC Licensing - InstallShield Wizard appears with a prompt as follows:

MSC Licensing Helium is installed successfully.

A window, **Installation Complete** appears.



- a. Check the boxes next to any of the options, if you want desktop icons.

Note:


Important information related to `MSC_LICENSE_FILE` environment variable setting is displayed at the bottom of the window. Use this setting to create the environment variable.

13. Click **Finish**.


The Licensing process is completed.

Install Marc and Mentat

1. Download the latest version from the MSC Software Download Centre.
2. Run the executable file.
3. The **Setup Type** window with language options appears.




- a. Select **English** as your language.
 4. Click **Next**.
- The **Welcome to Marc Install** window appears.



5. Click **I Accept** to consent.

A window for customer information appears.




The screenshot shows a window titled "Marc 20XX" with a close button in the top right corner. The window has a dark background and contains the following elements:

- Customer Information**
Please enter your information.
- User Name:** A text input field.
- Company Name:** A text input field containing the text "Undetermined".
- Install this application for:** Two radio button options:
 - ☒ Anyone who uses this computer (all users)
 - ☐ Only for me
- MSC Software** logo in the bottom left corner.
- Three buttons at the bottom: "< Back", "Next >", and "Cancel".

6. Enter **User Name** and **Company Name**.
 - a. Select **Anyone who uses this computer (all users)** if you want to make it available for all users.
 - b. Select **Only for me** if you want to make it available only for yourself.

The **Select Setup Type** window appears.




7. Select **Complete** to Install Marc and Mentat.
 - a. Select **Solver** if you want to install only Marc Solver.
 - b. Select **Modeler** if you want to install only Mentat.
 - c. Notice the default installation path.
 - d. Click **Browse** to change the Destination Folder.

C:\Program Files\MSC.Software\Marc\2019.1.0

It is recommended that you leave the **Destination Folder** path as is.

8. Click **Next**.

The Marc License Setup window appears.




9. Click **Browse** and specify the location of the license manager, if you already a FLEXlm license server installed.

For e.g. `27500@hostname`.

10. Click **Next**.

A window informing that the files are being copied appears.



11. Review the current settings and click Next.


The Marc installation starts and the **Marc and Mentat 20XX** window appears.



The last window is **Setup Complete** window. It will present you with an option to view the `readme.txt` file.

12. Click the **Finish** button to complete setup.

The installation is complete with a prompt as follows:



Notes:

- Ensure that the environment variable `MSC_LICENSE_FILE` is set properly to the full pathname of your valid license file. If it is not, the product will fail due to licensing.
- To run from the command prompt, `cd` to the `<parent>\mentat20XX` directory, and enter the command `bin\mentat` to start Mentat.
- Check the Mentat program by running one of the standard Marc demonstration examples as proof of a successful installation.
- Check if the user subroutines are working by running one of the standard user subroutine demo problems:

```
cd C:\Program Files\MSC.Software\marc
cd 2019.1.0\marc2019.1.0\demo\tools\
run_marc -j e2x4 -u u2x4
```
- If you have a **Fortran compiler**, run a user subroutine example using:

```
run_marc -j e2x4 -user u2x4
```

 Marc should give a **Marc Exit number 3004**.
- If you plan on using the Marc Parallel Network feature, you need to setup MPI. This service is optionally installed on the system when you have installed Marc, however you need to install it on the remote machines. Refer [Chapter 4: Marc Parallel Network](#) for important information on installing and running jobs with the network version.

Now, install the documentation. The following section demonstrates the procedure of installing the documentation.

Install Marc and Mentat Documentation

To make optimal use of the documentation, it should be installed on a computer where Marc and Mentat are available. This way, documents can be accessed interactively from within Mentat, and Marc example problems can be run.

You can install the documentation either before or after installing Marc and Mentat. The documentation installer will check if there is a corresponding Marc and Mentat version installed, where the Marc and Mentat installer will check if there is a corresponding documentation version installed, so that they can be linked together.


The installer will prompt you to set the location where the documentation needs to be installed. This default location is:

```
C:\Program Files\MSC.Software\Marc_Documentation\2019.1.0
```

You can now install the documentation to any other location. The `doc` and `examples` directories will be created in the directory specified by you. Follow the steps to install documentation:


1. Download the latest executable file from the download center.
2. Run the executable file.

The **Marc 20XX Documentation** window appears.



3. Click **Next**.


The **Customer Information** window appears.



4. Enter **User Name** and **Company Name**.


- a. Select **Anyone who uses this computer (all users)** if you want to make it available for all users.
- b. Select **Only for me** if you want to make it available only for yourself.

The **Choose Destination Location** window appears.




5. Retain the default path to C:\Program Files\MSC.Software\Marc Documentation\2019.1.0
6. Click Next.

A window informing that the files are being copied appears.




7. Review the current settings and click Next.

The installation process starts and can be seen in the window as follows:



An information message box is displayed:



8. Click **OK**.
9. Click **Finish**.

The documentation is now installed and linked to Marc and Mentat.

Set Environment Variables and Verify Installation

In this step, you will set the necessary environment variables and verify whether the installation is successful or not.

You will have to add the `MSC_LICENSE_FILE` environment variable on the license server and the client machines (if you have MSC Software installed on the client).

Follow the procedure to set the variable:


1. Right click on **My Computer >Properties**.

Control Panel Home window appears.




2. Choose the **Advanced system settings** option.

The **System Properties** dialog appears.




3. Select the **Advanced** tab.
 - a. Click **Environment Variables** button at the bottom.

The **Environment Variables** dialog appears.



- b. Click **New** in the **System Variables** section.

The **New System Variable** dialog appears.



- c. Enter **Variable Name** as `MSC_LICENSE_FILE`.
- d. Enter **Variable Value** as `27500@license server name`.

4. Click **OK** thrice to close all the dialog boxes and exit control panel.

The required environment variables are set. Try launching **Marc Mentat**.

Notes:

- If you face any problem in launching the application or any problems related to the licensing, contact [MSC Software support center](#).
- The license server must be running in order to run Marc and Mentat.
- Previous versions of Marc and Mentat will run with the latest FLEXlm version, so it is safe to upgrade previous installations of FLEXlm.

FLEXIm 11.13 VS Helium(11.16.3.0) License Manager

This section contains information and directory paths according to Helium license manager. The changes in the default paths in comparison with FLEXIm 11.13 are as in the following table:

11.13	Helium (11.16.3.0)
C:\MSC.Software\MSC.Licensing\11.13\msc	C:\Program Files\MSC.Software\MSC Licensing\Helium\msc
C:\MSC.Software\MSC.Licensing\11.13\lmtools	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmtools
C:\MSC.Software\MSC.Licensing\11.13\installs	C:\Program Files\MSC.Software\MSC Licensing\Helium\installs
C:\MSC.Software\MSC.Licensing\11.13\lmgrd	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmgrd
C:\MSC.Software\MSC.Licensing\11.13\LOG	C:\MSC.Software\MSC Licensing\Helium\LOG
C:\MSC.Software\MSC.Licensing\11.13\lmutil	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmutil
C:\MSC.Software\MSC.Licensing\11.13\msclic.ini	C:\Program Files\MSC.Software\MSC Licensing\Helium\msclic.ini

Installation Information

License file	<div><div><div>1. Two lines of the file <code>license.dat</code> need to be modified</div><div><ul style="list-style-type: none">• SERVER line which specifies the system hostname• DAEMON line which specifies the daemon name and the path to the daemon program</div><div>The content is typically something like:<pre>SERVER this_host 0022192361f 1700 DAEMON MSC /your_path/msc</pre></div><div>2. Replace the string this_host with the hostname of the machine where the license server is running.</div><div>3. Replace the string your_path by the full path to the program MSC. If the default location is used for the security installation it should be<pre>DAEMON MSC "C:\Program Files\MSC.Software\MSC Licensing\Helium\MSC.exe"</pre></div><div>4. Start the program<pre>C:\Program Files\MSC.Software\MSC Licensing\Helium\lmtools</pre>Select the System Settings tab and click on Save HOSTID Info to a File.</div><div>The system identifier may also be found by running:<pre>lmutil lmhostid</pre>in the directory <code>C:\Program Files\MSC.Software\MSC Licensing\Helium</code></div></div></div>
hostid	<div><div><div>■ For a nodelocked license it is necessary to obtain a FLEXlm hostid for the machine running Marc and Mentat. This is done as follows:</div><div><ul style="list-style-type: none">• Start the program<pre>C:\Program Files\MSC.Software\MSC Licensing\Helium\lmtools</pre>• Select the System Settings tab and click on Save HOSTID Info to a File.</div><div>■ The system identifier may also be found by running:<pre>lmutil lmhostid</pre>in the directory <code>C:\Program Files\MSC.Software\MSC Licensing\Helium</code>.</div></div></div>
Specify license file	<div><div><div>You will be prompted to specify the path to your license file. It will default to the current setting of <code>MSC_LICENSE_FILE</code>. If it is not set, then it will attempt to use the license file specified for FLEXlm License Manager version Helium(11.16.3). If you do not already have your license file, you may leave it blank. However you <u>must</u> set the <code>MSC_LICENSE_FILE</code> variable before attempting to run any of the <i>Marc</i> products.</div><div><div>Note:</div><div>This is an important step. The installation will set the variable <code>MSC_LICENSE_FILE</code> to the setting that you enter. Failing to set it to a valid license file will result in a licensing failure and you will have to edit the environment variable setting by using the System applet in the Control Panel.</div></div></div></div>

File types	<p>The installation will associate the file types <code>.mfd</code>, <code>.mud</code>, <code>t16</code>, <code>t19</code> and <code>.proc</code> to Mentat if they are not already associated. If they are, as it would be in the case that you have a previous Mentat installation, you will be asked if you wish to overwrite them.</p> <ul style="list-style-type: none">■ If you answer YES, then the files are set to the current version and the PATH environment variable is updated with the current version specified first.■ If you answer NO, then the files are not modified and the PATH environment variable is updated with the current version specified last.
Complete the installation	<ul style="list-style-type: none">■ Select the Finish button in Setup.■ You may want to check the contents against the list supplied in Appendix A of this document. Should any subdirectory be missing, contact MSC Software customer support for further details.
Starting the License Manager	<p>You must start the FLEXIm License Manager before attempting to run Marc or Mentat on the system that is assigned the license.</p> <ol style="list-style-type: none">1. To start the license manager, use the Start menu and select: Programs → MSC Software → MSC.Licensing 11.16 → lmtools2. Select the Config Services tab and verify that the settings are correct; i.e. the License File is set to the proper license file.3. Start the license manager from the Start/Stop/Reread tab by pressing the Start Server button. <div><div>Note:</div><div>If you already had the MSC installed, you should not need to perform these steps. You should specify the options Use Services and Start Server at Power Up under the Config Services tab. This will enable the license manager to start automatically at boot time.</div></div>

Note:

Troubleshooting related hints are provided in [Chapter 5: Windows Troubleshooting](#).

Managing FLEXIm

This section contains information about managing the license file and related tasks.

FLEXIm License File

When you receive your licenses from MSC Software, the license file, `license.dat`, should normally be placed in the `C:\Program Files\MSC.Software\MSC Licensing\Helium` directory. The file can be located elsewhere as long as the environment variable `MSC_LICENSE_FILE` points to it.

Two lines of the license file contains installation specific information:

```
■ SERVER this_host 0022192361f 27500
```

■ `DAEMON MSC /your_path/msc`

Here **this_host** should be set to the hostname of the machine where the license server is running and **your_path** should be set to the full path to the msc program, by default located in `C:\Program Files\MSC.Software\MSC Licensing\Helium`

FLEXlm License Manager

When you install Marc or Mentat, the FLEXlm License Manager is installed in the `MSC Licensing\Helium` directory. Once `lmgrd.exe` is running, it will read the license file `license.dat` which is located in the `MSC Licensing\Helium`. The license file contains the Marc and Mentat license (and other MSC Software product licenses, if necessary). In addition, `lmgrd.exe` will also start the MSC Software vendor daemon `MSC.exe`. The path to `MSC.exe` is specified in the license file on the **DAEMON** line. These processes must be running on the license server for the MSC Software security system to obtain a license. The only exception to this is for a **zero count** license. If the number of licenses for a feature (the number following the expiration date) is 0, then neither `lmgrd.exe` or `MSC.exe` are used. The license manager is only used to keep track of licenses that are checked in/out.

Marc contacts these daemons at regular intervals. If no contact is made after a specified time period, Marc terminates execution.

Note:

For the 20XX version, the FLEXlm License Manager must be at version 11.13 or higher.

You must start the FLEXlm License Manager before attempting to run Marc or Mentat on the system that is assigned the license. To start the license manager do the following:

1. Go to the **Start** menu and select **Programs** → **MSC Software** → **MSC.Licensing 11.16** → **lmtools**
2. Select the **Config Services** tab and verify that the settings are correct; i.e. the **License File** is set to the proper license file.
3. Then start the license manager from the **Start/Stop/Reread** tab by pressing the **Start Server** button.

Environment Variables

The environment variable `MSC_LICENSE_FILE` is used to specify the `license.dat` file. This environment variable can be set using the System applet in the Control Panel, and is a semicolon separated list of file pathnames or hosts. The default setting will be `C:\Program Files\MSC.Software\MSC Licensing\Helium\license.dat`. When Marc executes, it checks the list of license files specified by this environment variable. You may have it point to a license server using the syntax `port@host`, as follows:

- Variable: `MSC_LICENSE_FILE`
- Value: `27500@myserver`

If you have other products that use FLEXlm and they are required to be available when Marc is running (such as a Fortran compiler license), then you should modify the `MSC_LICENSE_FILE` setting to point to the proper license file for that product.

You may instead want to combine the licenses into one file.

The environment variable **MSC_AUTHQUE** is used to specify the number of minutes a program will wait for a license after it has been requested. If the license request cannot immediately be honored, the request will be queued and the variable defines how long it should wait in this queue. The variable must be set in your environment before Marc and Mentat are started. The default value is 5 minutes. It may be set as follows:

```
set MSC_AUTHQUE=20
```

Client/Server Licensing

The default installation assumes that the system in which Marc is installed will function as the **license server**. The term **license server** only refers to the fact that **lmgrd** and **MSC** will be running on that system, and will maintain the state of available licenses. Even if you have purchased a nodelocked license, the nodelocked system will function as the license server for that license. A nodelocked license can be distinguished from a floating license by the string **HOSTID=xxx** specified in the feature line.

Configuring the Marc DCOM Server

This section contains a procedure about configuring a DCOM Server.

Specifying the Logon User

The Marc DCOM Server allows you to run jobs on a remote Microsoft Windows machine without actually being logged into it. Unlike Marc Parallel, it will only run a single CPU job.

When you install Marc, the installation will initially setup the Marc DCOM Server. The server must be setup on both the client and the server machine. You must specify a login user for the Marc DCOM Server using `dcomcnfg` before attempting to run a job remotely.

To run `dcomcnfg` do the following:

1. Open up a console window and type `dcomcnfg` at the prompt.
2. Perform one of the following
 - Select **Start** menu and enter **Run** in the **Search Window**,
 - Select **Windows logo key + r**
3. Enter `dcomcnfg` and press **OK**. **Component Services** window (shown in [Figure 2-1](#)) appears.





Figure 2-1 Component Services window

4. Select **Component Services** in the **Console Root** panel.
5. In column right to the **Console Root** panel, select **Computers** → **My Computer** → **DCOM Config**
6. Scroll down to the **Marc DCOM Server** item.
7. Right click **Marc DCOM Server** item and select the **Properties**.

The **Marc DCOM Server Properties** dialog will appear.



The **Local Path** depends on the destination folder chosen during the installation procedure.

The only property that needs adjusting is the **Identity** property.

8. Select the **Identity** tab. Dcomcnfg will then display the identity view as shown in [Figure 2-2](#).




Figure 2-2 Dcomcnfg Displaying the Identity Properties of the Marc DCOM Server

9. Select **This user** and specify a user that has access rights to this machine.
10. Select **Apply** and then **OK** to close the window.
11. Select **OK** in the main view.

The data files must be located in a shared directory. This is required so that the two machines can access the files. If the file is not located in a shared directory, Marc will issue an error message specifying that the file is not located in a shared directory.

To share a disk or a directory:

1. Select **My Computer** from the desktop and select the disk or browse to the directory.
2. Right click, and select **Sharing** to select the disk or the directory.
3. In the Sharing view, select the **Share this folder** button and enter a name for the share.

Testing the installation

You should first test the Marc DCOM Server on the server machine, and then test it on a client machine. First, copy a Marc data file to a shared directory. The file must be in a shared directory even if the job is to be run locally using the Marc DCOM Server. The data file <parent>\marc2019.1.0\demo\e2x1.dat will suffice. Run the job from any command prompt window using the *-pc* option:

```
<parent>\marc2019.1.0\tools\run_marc -pc <servername> -j e2x1
```

If it succeeds, then perform the same test on a client machine. If a failure occurs, refer to section [Troubleshooting 51](#). Make sure the data file resides in a shared directory. When running the job, you may also use the UNC name in the path. If it is not specified, Marc will determine the UNC path and send it to the server.

Mentat Support

Running the job remotely may also be done within Mentat, however the menu is not displayed by default. You must first rebuild the menu file using:

```
cd <parent>\mentat2019.1.0
```

```
bin\mentat -compile menus\win64\main.msb -df DCOM
```

In the **Jobs → Run → Advanced Job Submission** menu, there now is a **DCOM** option (as shown in [Figure 2-3](#)). Select the **DCOM** option and in the adjacent text area specify the name of the remote machine.




Figure 2-3 Advanced Job Submission Menu Displaying the DCOM Option

Troubleshooting

In the case of an error, try some of the following suggestions:

- Check your user ID is valid on both the server and the client machines.
- Check the user ID has read and write access to the directory where the job is to be run.
- Check the directory that the data file resides in is a shared directory. For the Windows Server, you must specify the user permissions using one of the following methods:
 - Using the `/GRANT` option for the net share command
 - Clicking the **Permissions** button under the **Sharing** tab in the Explorer
- Run the `run_marc` script using the `-it` option to print out debugging information. This will print out exactly what is being sent to the server:


```
<parent>\marc2019.1.0\tools\run_marc -pc <servername> -j e2x1 -it 0
```
- The path name displayed in the debug output should be displayed as a proper UNC name. If not, verify that the directory is shared.

3

Running and Using Marc and Mentat

- Running Marc 55
- Running Mentat 57
- Making Changes to the Marc Programs 60
- Mentat Interfaces 61

Running Marc

This section describes the Marc usage on Microsoft Windows based machines. The Marc programs are mainly controlled by a batch script program called `run_marc.bat`, which is stored in the `<parent>` subdirectory `marc2019.1.0\tools`.

The batch script will submit a job and must be executed in the directory where all relevant input and output files concerning the job are available. To use the batch script, each Marc job should have a unique name qualifier and all Marc output files connected to that job will use this same qualifier.

Marc input files should always be named `job_name.dat`, whereby the prefix `job_name` is the name qualifier which you are free to choose. The suffix `.dat` is obligatory.

To actually submit a Marc job from an MS-DOS Command Prompt window, the following command should be used. The single input line is split over multiple lines for clarity:

run_marc	-jid	job_name (required as minimum)
	-rid	restart file name
	-pid	post file name
	-sid	substructure file name
	-prog	name of a previously saved user executable
	-user	user subroutine name
	-save	save user executable
	-back	run in background
	-vf	view factor file name
	-def	defaults file name
	-nprocd	number of domains
	-nprocs	number of domains in Single Input File mode
	-nts	number of threads for parallel matrix solver (same as -nthread_solver or -nthread or -nt)
	-nte	number of threads for element assembly and stress recovery (same as -nthread_elem)
	-nsolver	number of matrix solver tasks
	-mpi	mpi version
	-dir	directory where job I/O takes place
	-sdir	directory where the scratch files are located
	-host	host file name; used for distributed execution in a network
	-ci	copy input files to remote machines in a network
	-cr	copy post files back from remote machines in a network
	-ml	memory limit in Megabytes
	-gpuid	GPU card ID or auto keyword

Table 3-1 describes the meaning of these input options and Table 3-2 gives examples.

Table 3-1 run_marc Input Options

Keyword	Options	Description
-jid (-j)	job_name	Input file (job) name identification.
-prog (-pr)	progname	Run saved executable progname.marc from a previous job (see -user and -save).
-user (-u)	user_name	User subroutine user_name.f is used to generate a new executable program called user_name.marc (see -save and -prog).
-save (-sa)	no	Do not save the new executable program user_name.marc.
	yes	Save the executable program user_name.marc for a future time (see -prog and -user).
-rid (-r)	restart_name	Identification of previous job that created RESTART file.
-pid (-pi)	post_name	Identification of previous job that created the post file.
-sid (-si)	substructure	Identify the job that contains the solution to the external nodes of the superelement.
-back (-b)	yes	Run Marc in the background.
	no	Run Marc in the foreground.
-def (-de)	default_file	File name containing user defined default data.
-nprocd (-np)	number	Number of domains for parallel processing.
-nprocds (-nps)	number	Number of domains for parallel processing using a Single Input File.
-nts (-nthread)	number	Number of threads per parallel matrix solver (8, 9, and 11).
-nte	number	Number of threads used for parallel matrix assembly and stress recovery.
-nsolver	number	Number of processes to use for the MUMPS parallel matrix solver (solver 12).
-dir	directory_name	Pathname to directory where the job I/O should take place. Defaults to current directory.
-sdir	directory_name	Directory where scratch files are placed. Defaults to -dir.
-host (-ho)	hostfile	Specify the name of the host file for running over a network (default is execution on one machine only in which case this option is not needed).
-ci	yes	Copy input files automatically to remote hosts for a network run, if necessary.
	no	
-cr	yes	Copy post files automatically from remote hosts used for a network run, if necessary.
	no	
-vf	viewfactor_name	Name of file containing viewfactors for radiation from previous analysis or from Mentat using either the Monte Carlo or Hemicube method.

Table 3-1 run_marc Input Options (continued)

Keyword	Options	Description		
-mpi	intelmpi msmpi	Select which version of mpi will be used for Domain Decomposition or the MUMPS solver. If not specified, the appropriate default shown below will be used:		
		Platform	Default MPI	Alternative MPI
		Windows 64	intelmpi	msmpi
-ml	memlimit	Memory limit for deciding if the solver should go out-of-core. Specified in Mbyte. Defaults to the physical amount of memory on the machine.		
-gpuid	<id:id:id> or auto	GPU card number or auto for automatic selection by program. For parallel (DDM) jobs, multiple card IDs can be specified if available.		

Table 3-2 Examples of Running Marc Jobs

Examples of running Marc jobs	Description:
run_marc -jid e2x1	Runs the job e2x1, the input file e2x1.dat resides in the current working directory.
run_marc -jid e2x14 -user u2x14 -save yes	Runs the job e2x14, using the user subroutine u2x14.f and the input file e2x14.dat. An executable program named u2x14.dat will be saved after completion of the job.
run_marc -jid e2x14a -prog u2x14	Runs the job e2x14a using the executable produced by job e2x14.
run_marc -jid e3x2a	Runs the job e3x2a.
run_marc -jid e3x2b -rid e3x2a	Performs a restart job using the results of the previous job e3x2a.
run_marc -jid e2x1 -nprocd 2	Runs a two processor job on a single parallel machine.
run_marc -jid e2x1 -nprocd 2 -host hostfile	Runs a two processor job over a network. The hosts are specified in the file hostfile (refer to the Marc Parallel Network for runs on a network of machines.

Running Mentat

This section describes the Mentat usage on Microsoft Windows machines. The Mentat program is started by a batch script called **mentat.bat** which is stored in the <parent>\mentat2019.1.0\bin directory. It may also be started by using the Marc Mentat 20XX menu item in the **Start** menu in the MSC.Software folder or by selecting the Marc Mentat 20XX icon that the **Setup** program created on your desktop.

You need not start the batch script from a specific directory.

The Mentat program creates the default files in your current working directory; i.e. where you are located at the time of starting the Mentat program (if run from the command line), or the **Start in** directory specified for the shortcut if started from the Marc Mentat 20XX icon.

Note: Since Mentat is started by running a batch script, it is not possible to use a UNC path as the current working directory. It is recommended to map a UNC path to a drive letter, otherwise Mentat would use %WINDIR% (usually C:\Windows) as the current working directory.

The batch script `mentat.bat` contains a number of arguments which are passed on to the Mentat program. [Table 3-3](#) gives the meaning of these input options. You are free to alter these commands to suit your preference.

Table 3-3 Mentat Input Options

Keyword	Option	Description
-mode	preset1/preset2	This will launch the application in the selected preset mode. For preset1, which is the default, the traditional theme, the traditional mouse button scheme and complete picking will be active. For preset2, the dark theme, the auto-dynamic mouse button scheme and partial picking will be active.
-ar	area ratio	This option sets the initial window size to the given fraction of the available space on the desktop.
-xr	horizontal ratio	This option sets the initial width of the window to the given fraction of the available width on the desktop [default: 0.92]
-yr	vertical ratio	This option sets the initial height of the window to the given fraction of the available height on the desktop [default: 0.92].
-aspr	aspect ratio	This option sets the aspect ratio (width over height) of the window [default: 1.6].
-maximize		Starts up Marc Mentat maximized.
-minimize		Starts up Marc Mentat minimized (iconified).
-bg		This option will run Mentat in the background.
-bp	DIR\bin	Directory path name where the external Mentat programs and shell scripts are located.
-compile	binary_menu_filename	This is used to compile ASCII menu files into a binary menu file. The -mf option would be used to specify the new binary file. To recompile the default binary menu file <code>main.msb</code> , compile as: <code>bin\mentat -compile menus\win64\main.msb</code>
-dr	True/False	Enable/disable direct rendering. Enabling this option will make OpenGL bypass the underlying window system and render directly from hardware to the screen, if this is supported by the system. The default is True .
-fn	font	Default font type.

Table 3-3 Mentat Input Options (continued)

Keyword	Option	Description
-fngr	font	Font used by the graphics windows (overrides the font selected via the -fn option).
-fnme	font	Font used by the menus (overrides the font selected via the -fn option).
-gradient		This option switches on a gradient background when displaying the various windows (Model, Table, History Plot, etc.).
-hd	<i>name filename</i>	<p>Define a document viewer with the given <i>name</i> for viewing a document that consists of a set of HTML files. The <i>filename</i> must be the name of an XML file that defines the contents of the document. A menu item to open the viewer can be created by adding an <html_doc> element that references the viewer (via the “name” attribute) to the appropriate <menu> in menus\menubar.xml. The XML file must have the following contents:</p> <pre><?xml version="1.0" encoding="UTF-8"?> <html_doc> <proc_root env="DEMO_DIR"/> <title_page href="index.html"/> <contents> <chapter href="file1.html"/> <chapter href="file2.html"/> </contents> </html_doc></pre> <p>The “href” attributes of the <title_page> and <chapter> elements specify, respectively, the path to the HTML file of the title page and the HTML files of the chapters of the document. The file paths must be given relative to the directory in which the XML file is located.</p> <p>For example, the Mentat startup script defines the document viewer for the User's Guide as follows:</p> <pre>-hd ug help\ug\ug.xml</pre> <p>and menubar.xml contains the following element to open the viewer:</p> <pre><html_doc name="ug" title="User's Guide"/></pre>
-help		All of the options.
-hide_dialog		Hide the dialog window at startup.
-hide_dynamic_menu		Hide the dynamic window at startup.
-hide_main_menu		Hide the main window at startup.
-hp	DIR\help	Directory path name where the help files are located.

Table 3-3 Mentat Input Options (continued)

Keyword	Option	Description
-lf	<i>filename</i>	Specify the Mentat log file name.
-license_release	number	Enable Mentat to release its licenses if the program is inactive for the specified amount of time. The number is in minutes and must be greater than one.
-mf	main.ms	The name of the startup menu file.
-ml	DIR\material	Directory path name where the material files are located.
-mp	DIR\menus	Directory path name where the menu files are located.
-multiundo	off/on	This option enables the user to either set the one-level UNDO option (off), with data saved in memory, or the multi-level UNDO option (on), with data saved on disk [default: on].
-undo_levels	number	Number of UNDO levels when the multi-level UNDO option is active. The minimum is 1, the maximum is 50 [default: 10].
-nosolidmodeling		Utilize the Mentat_Parasolid_CAD which allows geometric models to be imported but does not allow solid geometry editing.
-path	directory_name	Provides a directory in which Mentat searches when opening an existing input file. Multiple directories can be specified as follows: -path directory_1 -path directory_2 etc.
-pr	<i>filename</i>	Any additional set-up commands you wish to add. Store these in a procedure file containing the Mentat commands.
-ra		This reads all of the ASCII Menu files.
-rf	<i>filename</i>	Record the Mentat commands in the procedure file <i>filename</i> .
-szgr	width height	Set the size (width and height in pixels) of the graphics area.
-ti	title	Append <i>title</i> to the name of the window.
-unicode		Allow the use of unicode characters in load case titles, job titles, annotations and user-defined names of results file variables.

Making Changes to the Marc Programs

Modifying the MPI Setting: selecting MPI version

The MPI version used by default is defined in the table below. It also lists an alternative MPI version to use for the respective platform. The default MPI version to use can be set by creating a `run_marc_defaults` file (refer [Mentat Interfaces 61](#)) and enter:

```
MARC_MPI alternative_mpi
```

for setting a new default. Use the exact word as given in then Alternative MPI colum. The MPI version can also be set with the command line option `-mpi` to `run_marc`. The command line option overrides the value set in `run_marc_defaults`.

Platform	Default MPI	Alternative MPI
Windows 64	intelmpi	msmpi

Setting defaults with the `run_marc_defaults` file

A file called `run_marc_defaults` located in the user’s home directory (as given by the combined environment variables `%HOMEDRIVE% %HOMEPATH%`) or the tools directory of the Marc installation can be used for setting program defaults. If both are present, then the setting in the user’s home directory will be used.

The following setting is currently available:

MARC_MPI	as given in the table in this section
----------	---------------------------------------

This selects the MPI version to use.

Mentat Interfaces

This section contains information about the different interfaces available for different purposes in Mentat.

Mentat External Programs

Mentat supports a number of CAD interfaces: IGES, Patran, Ideas, VDAFS. These interfaces are programmed in external programs which are called from within Mentat. The interface programs are run from scripts stored in the `<parent>` subdirectory `mentat2019.1.0\bin`. These programs read the data files in their native format and translate the contents into a Mentat model file. This file is subsequently read by Mentat. The external programs are called from within Mentat by means of the FILE submenu.

Jobs

The subdirectory `bin` contains batch script files to start a Marc job using the following batch scripts:

```
submit1.bat, submit2.bat, submit3.bat
```

These batch scripts are called by means of the buttons in the job menu. You may alter these files to suit your environment.

Plotter Interface

Because of the many variations in plotting environments, we have created plotting interfaces in the form of batch scripts that operate from within Mentat. Currently, Mentat recognizes the following plotting formats:

- PostScript
- WinDump (translated into Windows bitmap (.BMP) format)

This section describes a template batch script for each of the formats mentioned above. They are located in the `mentat2019.1.0\bin` directory and are named as follows:

```
pcolor1.bat, pcolor2.bat, pcolor3.bat  
psgray1.bat, psgray2.bat, psgray3.bat  
xdump1.bat, xdump2.bat, xdump3.bat
```

PostScript

The PostScript function is activated by pressing the **Gray** or **Color Print** button from the **UTILS** menu on the **POSTSCRIPT** panel. The program captures the graphics portion of the screen into a file and sends this file to a PostScript printer using the `psgray` or `pcolor` batch scripts located in the `mentat2019.1.0\bin` directory. In the example listed below, the file is sent to the printer LPT1. This can be a printer attached locally, or located somewhere on the network. After the file is sent, it is removed from disk automatically.

```
print /D:LPT1: %1  
del %1
```

The argument `%1` is the filename handed to the batch script by Mentat. If there is more than one printer on-line, the `pcolor2.bat` and `pcolor3.bat` batch scripts may be used to address these other printers.

You can use the `setup_printer` program to configure a network printer. Run `setup_printer` for more details.

Edit

The `edit_window.bat` batch script is used to control the editor associated with the **EDIT** commands. It is possible to change the type of editor, for example, from notepad to emacs.

System Shell

The `system_window.bat` batch script is used to control the type of window opened with the `system_shell` command.

AVI Playback

The `avi_window.bat` batch script is used to control the program opened with the `play_avi` command.

MPEG Playback

The `mpeg_window.bat` batch script is used to control the program opened with the `play_mpeg` command.

4

Marc Parallel Network

- Hardware and Software Requirements 65
- Installation Notes 68
- User Notes 69

Hardware and Software Requirements

The list of supported capabilities in parallel can be found in “[Supported and Unsupported Features](#)” in Chapter 12 of *Marc Volume A, Theory and User Information*.

The list of supported platforms can be found in “[Introduction](#)” in Chapter 1 of this guide.

To use Intel MPI, observe the following:

1. From the **Command Prompt** window, go into the directory

```
C:\Program  
Files\MSC.Software\Marc\2019.1.0\marc2019.1.0\intelmpi\win64\bin\intelmpi\win64\b  
in
```

2. Type `.\mpiexec.exe -register`

Note: When opening a **Command Prompt** window, always start the Command Prompt window by right clicking the icon and selecting **Run as Administrator**.

3. Enter your account (use a network account if you intend to run DMP jobs) and the password at the command prompt.

account (domain\user) [`<domain>\<username>`]:

password:

confirm password:

The following message appears in the **Command Prompt** window.

Password encrypted into the Registry will show in the **Command Prompt** window.

Note: If you change your account and password, you will need to repeat this step.

4. Type:

```
.\hydra_service -install
```

5. To run DMP (network parallel jobs) using Intel MPI, create a host file using the following format:

```
host1 n1 workdir1
```

```
host2 n2 workdir2
```

```
host3 n3 workdir3
```

Use the directory name (UNC) as echoed by typing `net share` on your system for `workdir`.

For example:

```
sv-x861 2
```

```
sv-x862 2 \\sv-x862\test2
```

The DMP job will run using two processors on node `sv-x861` in the directory where the job is started and two processors on node `sv-x862` in the shared directory `test2`.

The `test1` and `test2` directories in nodes `sv-x861` and `sv-x862` as well as the `marc2019.1.0` directory in node `sv-x861` will need to be shared with a general permission to all users.

The default MPI is Intel MPI 2017.1 for Windows. The other MPI option for the 64-bit Windows platform is MS-MPI.

6. To use MS-MPI, install Microsoft MPI; the version is listed in the `include_win64.bat` file in the `marc tools` directory.
7. Turn off the Windows firewall in your cluster and share the `marc` directory with a general permission to all users.

Although no specific hardware requirements exist to run a job in parallel, it is preferable that for distributed parallel processing to have fast network connections between the machines. It is recommended that the network should have a speed of at least 100 MBit per second. If only two machines are to be used, a hub or a cross-over cable can be used to connect them. If more than two machines are to be used, a switch is preferable. TCP/IP is used for communications. Refer to the `include_win64.bat` file in the `tools` directory for requirements on O/S, compilers, etc. for more details regarding running on Microsoft Windows.

Definitions

The definition of some of the terms are as follows:

Table 4-1 Definitions

Sr. No	Term	Definition
1	Root machine	The machine on which Marc job is started.
2	Remote Machine	Any machine other than the root machine which is part of a distributed Marc run on the network.
3	Shared installation	Marc is installed in a UNC shared directory on one machine only. The other machines can access the Marc executable since the directory is shared.
4	Distributed installation	Marc is installed on all machines. Each machine accesses its own Marc executable.
5	Distributed execution	Marc is run on multiple machines which are connected with a network. Each machine loads the Marc executable either from a shared or a local directory and then executes the executable.
6	Shared I/O	Marc reads and writes data in a UNC shared directory. Each Marc executable running on the network reads/writes to the same directory.
7	Distributed I/O	Marc reads and writes data in a directory located on each machine. Transfer of data files and post files between the root machine and remote machines is done automatically by Marc.
8	UNC	Uniform Naming Convention.

Network Configuration

Marc needs to be installed on the root machine where the installation directory is UNC shared (shared installation). Marc can also be installed on the remote machines which then use their own executable (distributed installation). For this case the same path name must be used on all machines. The root machine is the one on which the Marc job is started, typically from within Mentat. The remote machines can be located anywhere as long as they are connected to the network. The working directory on each machine can be a shared directory on any machine on the network (shared I/O) or it can be a local directory on the hard disk of each machine in the analysis (distributed I/O). The [User Notes 69](#) describes how to specify what working directory to use.




Figure 4-1 Network Configuration

Installation Notes

This part describes the specific steps needed to install and set up a network version of Marc. For general information on Marc installation, see *Marc and Mentat Installation*.

Steps 1–6: Must be performed as Administrator.

Step 1: Install Marc on the root machine.

Step 2: Make sure that the installation directory on the root machine is properly shared, so that the remote machines can access it. Assuming that Marc is installed under `C:\Program Files\MSC.Software`, share this directory by associating a UNC share name with it as follows. Use **My Computer** and locate the directory to be shared. Right click on the directory and choose **Sharing, Choose Share As** and give it a **Share Name** (this is the UNC name) and click OK.

Marc restricts the UNC name to have a maximum of 10 characters and the name of the shared directory to have a maximum of 30 characters. If necessary, a directory higher up in the path can be shared (for instance, `C:\` instead of `C:\Program Files\MSC.Software`). It is sufficient that either `C:\` or `C:\Program Files\MSC.Software` is shared.

Step 3: On the remote machines you can perform a full Marc installation or an installation of the Intel MPI Library Process Manager service only. In the latter case, the remote machine will be using the Marc installation of the root machine via the UNC share name.

The Process Manager service must be installed and running on all hosts involved a distributed job across the network. To install the Process Manager on a machine without a full Marc installation, copy the `hydra_service.exe` program from the `intelmpi\win64\bin` directory (on the root machine) to a local directory on the remote machine. Open a **Command Prompt** window on the remote machine, go into that directory and execute:

```
.\hydra_service -install
```

- Step 4:** Create a Marc file with the shared naming information. From the Command Prompt, change directory to the `tools` directory in the Marc installation directory (here assumed to be `C:\Program Files\MSC.Software`).

```
c:
cd \Program Files\MSC.Software\Marc\2019.1.0\marc2019.1.0\tools
net share > marc.net
```

This file has to be recreated each time the shared name of the installation directory is changed. The file `marc.net` contains the connection between the path names on the root machine and the UNC names, and can be created only by the Administrator. If this file does not exist or contains outdated information, the remote machines will not be able to find the executable on the root machine.

- Step 5:** Test the Marc installation for single processor execution by typing from the root machine:

```
c:
cd \Program
Files\MSC.Software\Marc\2019.1.0\marc2019.1.0\test_ddm\exmpl2\exmpl2_1
run_marc -j cyl2
```

and Marc should exit in about three minutes if it is a successful run.

- Step 6:** Test the Marc installation for multi-processor, distributed execution. Assume the host name of the root machine is `host1` and one of the remote machine is `host2`. Type from `host1`:

```
c:
cd \Program
Files\MSC.Software\Marc\2019.1.0\marc2019.1.0\test_ddm\exmpl2\exmpl2_2
```

and edit the file `hostfile` in this directory by replacing `workdir` with

```
c:\Program
Files\MSC.Software\Marc\2019.1.0\marc2019.1.0\test_ddm\exmpl2\exmpl2_2
```

The host names and directory names should be replaced with the names on the current system. Finally, type:

```
run_marc -j cyl2 -nproc 2 -host hostfile
```

and Marc should exit in about two minutes if it is a successful parallel run on `host1` and `host2` using one processor on each. If the job stalls or hangs at start-up time, exit it by typing `control-C` in the window in which it was started. See [User Notes 69](#) in this chapter.

User Notes

This section assumes that the network version of Marc has been successfully installed on two machines that are to be used in a distributed analysis and that the appropriate Marc licenses are in order. Assume that `host1` is the host name of the machine on which Mentat is running and from which the job is to be started (the root machine). The host name of the other machine (the remote machine) is `host2`.

How to Run a Network Job

First make sure that the two machines are properly connected. From `host1`, access `host2` using Internet Explorer. If this is not possible, a network run will not be possible.

See [User Notes 69](#) in this case.

Note: The current version does not support the IPV6 protocol.

In order to perform an analysis over a network, you have to create a special file called the `host file`. This file defines which machines are to be used, how many processes are to run on each, what working directory should be used, and where the Marc executable can be found on each machine. The host file can be selected and edited in Mentat and the Marc job started as usual from within Mentat (see the following example). If Marc is run from the command line, it is done as for a normal run using an additional command line option.

For example:

```
run_marc -b no -jid test -nproc 2 -host hostfile1
```

will run the two-processor job `test.dat` using the specification in the file `hostfile1`. No specific name or extension is used for the host file except that the name `jobid.host` (in this example `test.host`) must be avoided since it is used internally by Marc.

Specification of the Host File

The host file has the following general format:

```
host1 n1
host2 n2 workdir2
host3 n3 workdir3
```

Each line must start at column 1 (no initial blanks). Blank lines and lines beginning with a `#` (number symbol) are ignored.

- The first entry is the host name of a machine to be used in the analysis. The root machine must be listed first and each machine must only occur once.
- The second entry specifies the number of processes to run on the machine specified in the first entry. The sum of the number of processes given in the host file must equal the number of domains used. In a five-domain job, it is required that $n1+n2+n3=5$.
- The third entry specifies the working directory to use on this host. This is where the I/O for this host takes place. The Marc input files for this machine must be in this directory and the results files for this machine are created in this directory.

The different domains of the Marc job are associated with the different machines as follows. Suppose a five-domain job `test` is run using a host file defined as:

```
host1 2
host2 1 workdir2
host3 2 workdir3
```

with appropriate definitions of the third entry, see below. There will be six Marc input files associated with this job: `test.dat`, `1test.dat`, ..., `5test.dat`. Domains 1 and 2 will be associated with `host1`, domain 3 with `host2` and domains 4 and 5 with `host3`.

Shared I/O

Suppose a job is to be run on host1 and host2. A shared directory on host1 is to be used for I/O. The UNC sharename for this directory is assumed to be `dir7`. The host file for a two-processor job would be:

```
host1 1
host2 1 \\host1\dir7
```

To verify that the work directory is accessible, use **Internet Explorer** on host2 and browse to `host1->dir7`. The directory seen should be the same one as the working directory on host1.

It is also possible to use only two entries for each host in the host file (host name and number of processes). This requires that the working directory is shared and that the sharing information is up to date in the file `tools\marc.net` in the Marc installation directory.

Distributed I/O

If you want to have the I/O to be local on host2, specify the host file as:

```
host1 1
host2 1 D:\users\dir5
```


The I/O on host2 will now take place in the directory `D:\users\dir5` on the hard disk of host2. For this case, the Marc input files are transferred to `D:\users\dir5` on host2 before the job is started, and the results files are transferred back after the analysis for postprocessing. This transfer of files is done by Marc automatically.

Example

The definitions for a network run with Mentat is demonstrated with a simple example. We assume the simplest case where both the working directory and installation directories are shared.

1. Enter the menu **Help → Run a Demo...**

A **Run A Demo** dialog appears.




2. Select the example **Contact With DDM**.


Note:

The input creation for the demo problem automatically starts as you select any of the problems. It continues till the results are seen. To stop/pause the automatic inputs creation, you need to click on the **Stop** button. Once you stop the procedure use the **Step** button to see a step-by-step input creation.

3. After the process is completed. Click **Close result file** button.




4. Select **Jobs** tab and check **Identify** to confirm your two domains as shown in the image as follows:




The complete model workflow can be seen in the **Model Navigator**.

5. Right click on **Indent** and select **Properties** from the drop down list.



The **Job Properties** dialog appears.



6. Click **Run**.

The **Run Job** dialog appears.

Run Job



Name: *indent*
Type: *Structural*
User Subroutine File:

Solver/Parallelization
Symmetric Solution: *DDM with 3 Domains*
Multifrontal Sparse Solver: *1 Assembly/Recovery Thread*
No GPU(s)
Title: Style: Multi-Physics Save Model
Submit (1) Advanced Job Submission
Update Monitor Kill
Status: *Complete*
Current Increment (Cycle): *70 (3)*
Singularity Ratio: *0.94538*
Convergence Ratio: *16210*
Analysis Time: *1*
Wall Time: *8*

Total
Cycles: *368* Cut Backs: *3*
Separations: *29* Remeshes: *0*
Exit Number: *3004* Exit Message:
Edit Output File Log File Status File Any File
Open Post File (Model Plot Results Menu)
Reset OK

7. Click **Solver/Parallelization**.

The **Solver/Parallelization** dialog appears.



Ensure the **Use DDM** option is selected. In this case three domains are used.

8. Select **Network** option from the submenu.


An additional option to select the host file appears just below **Network**.

9. Click on the **Host File** and select the file called `hostfile` from the install directory and modify it to contain:

```
host1 1
host2 1  workdir installdir
```

10. Set the working directory according to the share names on the current system. The host file places one domain on `hostname1` and one domain on `hostname2`.

11. Run Marc from within Mentat using the **Submit 1** button. When the analysis is complete, the following dialog box appears:



The Run Job dialog box displays the following information:

Name	
indent	

Type: Structural

User Subroutine File

Solver/Parallelization

Symmetric Solution	DDM with 3 Domains
Multifrontal Sparse Solver	1 Assembly/Recovery Thread
No GPU(s)	

Title Style Table-Driven Save Model

Submit (1) Advanced Job Submission

Update Monitor Kill

Status Complete

Current Increment (Cycle)	70 (3)
Singularity Ratio	1
Convergence Ratio	10790
Analysis Time	1
Wall Time	4

Total

Cycles	368	Cut Backs	3
Separations	29	Remeshes	0


Exit Number 3004 Exit Message

Edit Output File Log File Status File Any File

Open Post File (Model Plot Results Menu)

Reset OK

12. Check your results by clicking the **Open Post File (Results Menu)** button.
- A plot of the Total Equivalent Plastic Strain in the final deformed configuration is shown as follows:



Marc creates a post file associated with each domain as well as a root post file associated with the job id. For the previous model, `1model11_job1.t16` and `2model11_job1.t16` are the processor files, while `model11_job1.t16` is the root file.

To post process the entire model, select `model1_job1.t16` as the post process file. If the model is very large, it may be convenient to view only a portion of the model by selecting any one of the processor post files, such as `2model1_job1.t16`. This file contains only data associated with domain 2 as selected in the Domain Decomposition menu. As specified in the host file, this file was created by host2.

Shared vs. Distributed I/O

For jobs with very large post or restart files, it is usually more efficient to use distributed I/O. With distributed I/O, the input files, and the post files are located on the host's local disks. Marc, by default, automatically transfers the input files and the post files to and from the remote host if needed. It is possible to suppress this transferring with two buttons in the Network settings in the **JOBS** menu in Mentat.

To run a job using distributed I/O, specify a local directory in the host file:

```
host1 2
host2 1    d:\workdir
```

Jobs with User Subroutine

User subroutines can be used as usual. If local directories are used on remote hosts (distributed I/O), then the working directory on the first host must be shared so the other hosts can find the executable.

5

Windows Troubleshooting

- General 79
- Marc Parallel Network 82

General

This chapter contains information about troubleshooting general and problems according to FLEXlm version 11.13. The process for Helium(11.16.3.0) license manager is the same but the paths may vary. Use the paths in the following section to identify the difference between both the versions.

FLEXlm 11.13 VS Helium(11.16.3.0) License Manager

This section contains information and directory paths according to FLEXlm 11.13 license manager. The changes in the default paths for Helium license manager in comparison with FLEXlm 11.13 are as in the following table:

11.13	Helium (11.16.3.0)
C:\MSC.Software\MSC.Licensing\11.13\msc	C:\Program Files\MSC.Software\MSC Licensing\Helium\msc
C:\MSC.Software\MSC.Licensing\11.13\lmtools	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmtools
C:\MSC.Software\MSC.Licensing\11.13\installs	C:\Program Files\MSC.Software\MSC Licensing\Helium\installs
C:\MSC.Software\MSC.Licensing\11.13\lmgrd	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmgrd
C:\MSC.Software\MSC.Licensing\11.13\LOG	C:\MSC.Software\MSC Licensing\Helium\LOG
C:\MSC.Software\MSC.Licensing\11.13\lmutil	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmutil
C:\MSC.Software\MSC.Licensing\11.13\msclic.ini	C:\Program Files\MSC.Software\MSC Licensing\Helium\msclic.ini

Access is denied

Cause	No write permissions to the file or directories to which you are installing.
User Action	<ul style="list-style-type: none"> ■ Do the following: <ul style="list-style-type: none"> Open up an MS-DOS Command Prompt window. 1. cd to the directory in which you are installing Marc 2. Run the attrib program to remove the read-only attributes (with the -R option). ■ Use the File Manager's Security menu to change ownership of files and directories and to change permissions on them.

Error during move process

Cause	An application or a file open during the installation process that the installation is trying to overwrite.
User Action	Exit all applications and documents during installation and restart the installation.

Security failed or Marc exit 67

Cause	<ol style="list-style-type: none"> 1. The environment settings are not set properly. 2. You are attempting to run on a machine that according to the Marc password(s) you are not allowed to use 3. Your license period has expired
User Information	<p>In this case you cannot access or read the <code>license.dat</code> file in the <code>C:\Program Files\MSC.Software\MSC Licensing\Helium</code> subdirectory.</p> <p>Every Marc user should have read and write rights for the <code><parent> subdirectory11.13</code></p>
User Actions	<ul style="list-style-type: none"> ■ Log out and log back in and try again. ■ Check that the environment variable <code>MSC_LICENSE_FILE</code> is set to a valid license file. ■ Install your passwords before security succeeds. ■ Check that the FLEXIm license manager has been started from the FLEXIm Configuration Utility applet in the Start menu under <code>MSC.Software → MSC.Licensing 11.16</code>. This must be done AFTER you have saved your <code>license.dat</code> file in the <code>MSC.Software\MSC Licensing\Helium</code> directory. Test that it is working by pressing the Status button in the Control menu ■ Check time and date on your machine. ■ Use the File Manager's Security menu to change Ownership of files and directories, and to change Permissions on them.

License Manager does not start

Cause	<div><div>1. Incorrect hostname on the SERVER line.</div><div>2. Incorrect path to the license daemon MSC.exe</div></div>
User Actions	<div><div>■ Check that the hostname on the SERVER line is correct</div><div>■ Check that the DAEMON line contains the correct path to the license daemon MSC.exe</div><div>■ If you had an older version of the FLEXlm license manager installed, the new installation may replace it. If the Use NT Services button was previously checked, you should uncheck this button, start the license manager, and then select the Use NT Services button</div></div>

Link failed

Cause	<div><div>1. No Fortran compiler or Fortran libraries</div><div>2. Your PATH or LIB environment variables settings do not point to the proper location for your Fortran compiler.</div></div>
User Information	User subroutine causes compiler errors
User Actions	<div><div>■ Make Fortran compiler or Fortran libraries available</div><div>■ Point your PATH or LIB environment variables settings to the proper location for your Fortran compiler.</div></div>

Fortran files are not being compiled

Cause	The Fortran compiler is not in your search path, or the INCLUDE and LIB environment variables are not set.
User Information	The Intel Fortran compiler requires that the Microsoft .NET 2015 framework is installed and the LIB environment variable setting includes the required dependency libraries. Running the compilervars script mentioned below to make sure that the environment is correctly set up
User Actions	<div>Verify that your settings are correct with the set command. Run the following scripts to set it up:</div> <div>C:\Program Files (x86)\IntelSWTools\compilers_and_libraries_2017\windows\bin\compilervars intel64 vs2015\ (or substitute your installation directory)</div>

User subroutines are not being called

Cause	For Fortran, the argument list for subroutines does not match exactly.
User Information	If the argument does not match exactly, your subroutine will not replace the existing subroutine in the Marc Library. The linker will continue to use the subroutine that is defined in the Marc Library, and since your routine will not be linked in, it will never be called.
User Actions	Make Fortran argument list match exactly.

Marc Parallel Network

This section contains information about troubleshooting specific to Marc parallel network.

General

If you face any problems in launching Marc Menatat, make sure that:

1. The user ID that was registered using the mpiexec.exe utility exists on the root machine and all remote machines (see General Information). Also check that the password you entered is the same on all machines.
Note that if you change your login password, you must register it again using mpiexec.exe
2. The remote machines have permission to read from the Marc installation on the root machine via the UNC sharename. For shared I/O, the remote machines also must have permission to read from and write to the shared (working) directory on the root host.
3. Your Marc and Marc Parallel licenses are valid.
4. The host names are valid.

5. The Intel Process Manager service is installed and running on all hosts involved in the distributed job across the network. Select **Start/Control Panel/Administrative Tools/Services** and look for Intel MPI[®] Library Process Manager, Intel. Make sure that it is as **Status:Started**.

The typical error message that appears if the Process Manager service is not running on or more hosts is:

```
abort: Unable to connect to 'hostname:8676'
sock error: generic socket failure, error stack:
...
```

Refer to Step 3 of the installation instructions ([Installation Notes](#)) on how to install the Process Manager on machines without a full Marc installation.

Running a Parallel Job when Not Connected to the Network

If you disconnect your system from the network and want to run a parallel job on that system, you will have to install the Microsoft Loopback Adapter. Do the following:

1. Go to Control Panel -->Add/Remove Hardware.
2. Select the hardware task you want to perform:
Add/Troubleshoot a device
3. Choose a Hardware Device:
Add a new device
4. Do you want Microsoft Windows to search for your new hardware?
No, I want to select the hardware from a list
5. Select the type of hardware you want to install:
Network adapters
6. Select Network Adapter:

```
Manufacturers:Microsoft
Network Adapter:Microsoft Loopback Adapter
```

It will now install the loopback adapter. You will have to enable/disable the loopback adapter as you remove/connect your machine to the network.

Running a Parallel job on a Windows System when not a member of a Domain

If you are running a parallel job on a Windows system that is not a member of a domain, you will have to modify a registry entry.

Using *regedit*³², look for the following key:

```
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Lsa
                                "forceguest" : REG_DWORD : 00000001
```

If you find this key, change the REG_DWORD value to 0. The name may also appear as ForceGuest.

If you do not have this registry entry, your system will function properly.

Running a Parallel Job on Windows

The RPC protocol does not permit anonymous requests to the RPC Endpoint Mapper but requires client requests be authenticated using Windows XP SP2 or later. This will cause an `Access is Denied` error when you attempt to run a Marc Parallel job.

Note:	These settings are important to enable Microsoft Windows to run a parallel job. If they are not set properly, the error message <code>Host is unreachable (5)</code> or <code>Access is Denied (5)</code> will be issued.
--------------	---

As a work around for this problem, do the following:

1. From a command prompt, run **gpedit.msc**.
2. Select **Computer Configuration**
 - a. Expand **Administrative Templates**.
 - b. Expand **System**.
 - c. Click **Remote Procedure Call**.
 - d. Double click **RPC Endpoint Mapper Client Authentication**.
 - e. Change the value to **Enabled**.

You will also need to check the Data Execution Prevention settings.

1. Right click **My Computer**.
2. Go to **Properties**.
 - a. Select the **Advanced** tab.
 - b. Select the Performance **Settings** button.

- c. Select the **Data Execution Prevention** tab.
- d. Select the button for **Turn on DEP for essential Windows programs and services only**

Required Privileges

Running a parallel job either locally or over a network requires certain user privileges. If the privileges are not sufficient, MPI will print an error code of 1314.

You will need to check the following settings from the **Control Panel**:

1. Select **Administrative Tools**
2. Select **Local Security Policy**
3. Check the following items under **Local Policies** → **User Rights Assignment**.

Windows

Adjust memory quotas for a process

Replace a process level token

You can add user names to these if needed by right clicking them and going to **Properties**.

Note:

The setting on the domain controller will also need to provide access to these settings for each user name, if the users login through a domain controller.

SECTION 2: LINUX

6

Prerequisites for Marc and Mentat

- Installation Prerequisites 89
- Supported Platforms 90

Installation Prerequisites

This section contains information regarding the hardware and software which are required in order to complete the installation successfully.

Before installing the software	<p>The product is available for download at the MSC Solutions Download Center available at:</p> <p>https://mscsoftware.subscribenet.com</p> <ol style="list-style-type: none">1. Select the product Marc and select the 20XX version on the next level.2. Download the installer for your platform.3. The FLEXlm security is installed separately. Select the product MSC Licensing and the version Helium(11.16.3.0) on the next level.4. Download the installer for your platform.5. Decide where you want the product to be installed and where to perform the installation.6. First install security. If you are installing both Marc and Mentat, then first install Marc and then install Mentat. <p>Marc requires approximately 1.1 GB of permanent disk storage capacity.</p> <p>Mentat requires approximately 1.3 GB of permanent disk storage capacity. Documentation, stored in the separate documentation directories <code>doc</code> and <code>examples</code>, contains approximately 350 MB of data.</p>
Password protection	<p>The Marc and Mentat version you have received is protected against illegal usage by means of Flexera Software’s FLEXlm licensing software. You <i>cannot</i> run the program directly after you have installed the product from the installation media until you obtain a license file from MSC Software Corporation.</p>
Multiple machines/NFS Fileserver	<p>If you are installing Marc and/or Mentat on an NFS Fileserver, the install script needs to create directories in which to install Marc and/or Mentat; the default NFS export options do not allow this level of access by root. Two approaches are possible – do not install as root, or if <i>you must install as root, modify your NFS export options to include <code>-root=list</code></i> (where <i>list</i> can include hostnames and netgroups).</p>

Should I be “root”?	<ul style="list-style-type: none">■ You may need to be logged in as root if you want to create an optional link by which Marc and/or Mentat will be known system-wide under the name <i>marc20XX</i> and/or <i>mentat20XX</i>. This link will, by default, be placed in the directory <code>/usr/local/bin</code> to which you must have write permission. Logging in as root is one way of ensuring that you can create this link. Make sure that you have write permission to the installation directory before you start the installation script.■ For NFS fileserver networks, read the previous paragraph.
Fortran compiler	A Fortran compiler is necessary if user subroutines are to be used. For other cases, no compiler is needed. The compiler needs to be compatible with the one used in the Marc build, see the <i>Marc and Mentat Release Guide</i> for a list of supported compilers.
NVIDIA driver	An NVIDIA driver is necessary if the GPGPU capability is to be used. For other cases, no special driver is needed. The NVIDIA driver needs to be compatible with the one used in the Marc build; see <i>Marc Volume A: Theory and User Information</i> , Chapter 13 for the minimum driver version supported.

Supported Platforms

The supported Linux platforms are listed below. The installation of a Fortran compiler is only required if you would like to run Marc with user subroutines.

Type	OS	Hardware	Fortran Version	Default MPI
Linux (64 bit)	Red Hat RHEL7.1 ¹	Intel EM64T or AMD Opteron	Intel Fortran 17 ³	Intel MPI 2017.1 ⁴
	SUSE 11 SP4 ²	Intel EM64T or AMD Opteron	Intel Fortran 17	Intel MPI 2017.1

¹ Also runs on RHEL 7.3.

² Also runs on SUSE 12 SP1 and RHEL 6.7.

³ For user subroutines, Intel Fortran 17 is required.

⁴ IBM Platform MPI (community edition) is also supported. In the documentation and the scripts, this is referred to as `hpmi`.

7

Marc and Mentat Installation

- Installation Procedure 93
- Installation Information 111
- Installation Summary 112
- Managing FLEXIm 114

Installation Procedure

The installation needs to be done in four steps:

1. Install MSC licensing Helium
2. Install Marc and Mentat
3. Install documentation
4. Verify installation

For old installation procedure, refer to [Appendix C: Linux: Marc/Mentat Files, Subdirectories and Installation](#)

Install MSC Licensing Helium

1. Download the latest .bin file from the MSC Download Center.

Note:


To demonstrate the installation procedure, /root/MS/ this location is used as the installation directory for all three steps. You are advised to create a directory named MSC in your home/root directory. It is not mandatory to create this directory. You can create and install the application in any directory of your choice.

The commands/user inputs are marked in **bold** for all descriptions related to terminal commands in this document. Rest of the script is auto generated. For more details refer to [Typographical Conventions](#) in Preface.

2. Start the installation procedure by using the command as follows:

```
[root@vm-tmrhel73 MSC]# ls
license.dat                               marc_20XX_linux_doc.tar.gz
marc_20XX_linux64_rh7.1_7.3.tar.gz       msc_licensing_helium_linux64.bin
[root@vm-tmrhel73 MSC]# ./msc_licensing_helium_linux64.bin
```

The following prompt appears on the screen.



3. Click Yes.

The *MSC Licensing Helium User's Guide* opens automatically.


- For detailed installation about licensing, refer to the *MSC Licensing Helium User's Guide*.
- For quick installation continue with the following procedure

An MSC Licensing Helium Setup window appears.




4. Click **Next**
5. If your system already has the older version of the MSC Licensing Server, it will show the following message:
11.13 License Server process currently running. Do you want to un-install 11.13 license server?
6. Click **Yes** to continue

The **Installer Requirements** window appears.



7. Review the requirements and if all the requirements are fulfilled. Click **Next**.


The **Choose Destination Folders** window appears.



- Review and note the default locations for both the folders.
- Keep the default paths as is (strongly recommended).

8. Click **Next**

A window to select license file appears.



9. Click **Browse**. An **Open** dialog appears.

- a. Select the required `license.dat` file.

b. Click **Open**


c. The following error message appears if one or more feature entries in the license file has expired:

One or more FEATURE entries have maintenance end dates that have expired. These licenses can be used only by MSC products that were released prior to the maintenance expiration dare on the FEATURE entry.

d. Click **OK** to continue.

10. Click **Next**.

The **Details of the License File** window appears.




Note:

Here, MSC One license is used to demonstrate the installation procedure. For more information about the license types, refer to the *MSC Licensing Helium User's Guide*.

11. Click **Next**.


The Automatic Reporting of Usage Data appears.



- a. Check the box against **I agree to the automatic reporting of usage data** (uncheck the box if you do not want automatic reporting).

12. Click **Next**.

The License Server Setting options appears.



The screenshot shows a window titled "MSC Licensing Helium Setup". Inside, the "License Server Settings" section contains the following fields and options:


- Port:** A text input field.
- Hostname:** A text input field.
- Options Files path (Optional):** A text input field with a "Browse..." button to its right.
- Select the privilege level for the license manager access.(e.g. Server Start Stop)**: A label above two radio button options: "Admin/Superuser" and "ANY". The "ANY" option is selected.
- Start the server automatically:** A checkbox with an "X" inside, which is checked.

At the bottom of the window, there is a progress bar labeled "InstallJammer" and three buttons: "< Back", "Next >", and "Cancel". The "Next >" button is highlighted with a dashed border.

- a. Open your `license.dat` file to verify your port number and hostname and enter values accordingly.
- b. Click **Browse** and select the **Options File path**.
- c. Against Access select **Admin/Superuser** or **ANY** according to your choice to control the access of license.
- d. Check **Start the server automatically**.


13. Click **Next**.

The Start Copying Files window appears.



Review the settings for one final time.

14. Click **Next**.
15. An **MSC Licensing Installation Program** prompt appears.



16. Click **OK**.

17. Click **Finish** to complete the installation.

Notes:

1. The installer creates a sample script that can be used to start the license server after a system reboot. This script and a README file with important details are written to a directory named `startup_script` under the installation directory you selected.
2. You can start your server (and create a log file) using the below command:


```
/msc/MSC.Software/MSC Licensing/Helium/lmgrd -c
/msc/MSC.Software/MSC Licensing/Helium/license.dat -l
/msc/MSC.Software/MSC Licensing/LOG/lmgrd.log
```

Install Marc and Mentat

This part will be further divided into two steps as follows:

1. Install Marc
2. Install Mentat

Install Marc


1. Download the file `marc_20XX_linux64_rh7.1_7.3.tar.gz`. Extract it using the commands as follows:

```
[root@vm-tmrhel73 MSC]# tar -xvf marc_20XX_linux64_rh7.1_7.3.tar.gz
install.exe
products/
products/gl27emt0.k10
products/common1.gui
products/al27emt0.k10
products/list
utils/
utils/read_pdf
utils/maintain_usage
The file will be extracted.
```

2. Give execution rights to the extracted `install.exe` file and run the installation using the following commands:

```
[root@vm-tmrhel73 MSC]# ls
install.exe                marc_20XX_linux_doc.tar.gz      utils
license.dat                msc_licensing_helium_linux64.bin
marc_20XX_linux64_rh7.1_7.3.tar.gz  products
[root@vm-tmrhel73 MSC]# chmod +x install.exe
[root@vm-tmrhel73 MSC]# ./install.exe
```


The terminal asks for permission to start the Marc installation as follows:



```
root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

This will install Marc 20XX on your computer. Continue?
[n/Y]
y
```

3. Type Y, press **Enter**. The copyright information appears on the terminal screen as follows:



```
root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

uction or distribution in any manner requires written permission of MSC Software
Corporation or its beneficiaries under the terms of a valid license. Unauthoriz
ed reproduction or distribution of this Software, or any portion of it, may resu
lt in severe civil and criminal penalties.

Software piracy is illegal and MSC Software Corporation and its affiliates reser
ve the right to take all legal steps to stop piracy of their products and pursue
those who take part in these activities. As part of these anti-piracy efforts,
the Software may contain security mechanisms intended to detect the installation
or use of unauthorized copies of the Software, and collect and transmit data re
lating to such copies (including data relating to use of such copies, the machin
es on which such copies are accessed or used, and network and user configuration
data), to MSC Software Corporation and/or its affiliates, and/or their agents,
contractors, suppliers, successors and assigns. See MSC Software online privacy
statement available at www.mscsoftware.com for more information. By entering "I
Accept" below or otherwise installing or using the Software, you consent to such
detection, collection and transmission, as well as to the use of such data, for
the purposes of identifying unauthorized usage and protecting and enforcing int
ellectual property rights.

Enter "Cancel" to quit Setup.
Enter "I Accept" to consent and continue with the Setup program. [Cancel]
I Accept
```

4. Read the information and type **I Accept**.

The following information can be seen on the terminal screen:

```
root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help
contractors, suppliers, successors and assigns. See MSC Software online privacy
statement available at www.mscsoftware.com for more information. By entering "I
Accept" below or otherwise installing or using the Software, you consent to such
detection, collection and transmission, as well as to the use of such data, for
the purposes of identifying unauthorized usage and protecting and enforcing int
ellectual property rights.

Enter "Cancel" to quit Setup.
Enter "I Accept" to consent and continue with the Setup program. [Cancel]

I Accept

Welcome to the Marc installation script for Linux systems

Installation Directory
-----
Marc 20XX and Mentat 20XX will be installed in subdirectories
marc20XX and mentat20XX of the directory entered here.

Enter the directory to install the software
(/root/MSC)
: /root/MSC
```

5. Type `/root/MSC`, press **Enter**.

The Linux Installation script appears on the terminal screen as follows:

```
root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

Installation script for Linux systems
-----

MSC Software Corporation

Main menu
=====

1 ) Install Marc
2 ) Install Mentat


o ) Options
? ) Help information
q ) Exit from the installation script

Selection : 1
```

6. Type **1**, press **Enter**.

Note: The installation of Marc should be done before installing Mentat. It will be done

The Marc 20XX Menu appears.

A screenshot of a terminal window titled 'root@vm-tmrhel73:~/MSC'. The window contains the 'Marc 20XX Menu' with the following text: 'MSC Software Corporation', 'Marc 20XX Menu', '-----', 'L1) Install for Linux 64-bit RHEL 7.1/7.3 (~1.1 GB)', '?) Help information', 'r) Return to previous menu', 'Selection [L1] : L1', 'You have selected Linux 64-bit RHEL 7.1/7.3.', and 'Is this correct? [Y/n] y'. The 'L1' and 'y' are highlighted with red boxes.

```
root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

MSC Software Corporation

Marc 20XX Menu
-----
L1) Install for Linux 64-bit RHEL 7.1/7.3 (~1.1 GB)
? ) Help information
r ) Return to previous menu

Selection [L1] : L1

You have selected Linux 64-bit RHEL 7.1/7.3.
Is this correct? [Y/n] y
```

7. Type **L1**, press **Enter** to admit the operating system version.

8. Type **Y**, press **Enter** to give final confirmation.

A prompt to create links to the startup scripts appears.

```

root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help
L1) Install for Linux 64-bit RHEL 7.1/7.3 (~1.1 GB)
? ) Help information
r ) Return to previous menu

Selection [L1] :

You have selected Linux 64-bit RHEL 7.1/7.3.
Is this correct? [Y/n] y

Installing Marc 20XX for Linux 64-bit RHEL 7.1/7.3
Installing the script files to /root/MSC/install
Installing from /root/MSC/products/al27emt0.k10

Do you want to create links to the startup scripts [y/N] ? y

Where to put the links for the startup scripts? [/usr/local/bin] /usr/local/bin
n
Link name : /usr/local/bin/marc20XX

The current default MARC_MPI is set to intelmpi
Do you want to change it to hpmi [y/N] ? y

```

9. Type **Y**, press **Enter** to create links.
10. Type **/usr/local/bin** to specify the location to put the links for the startup scripts.
The link is created and its name appears on the terminal screen.

Notes:	<p>Supported MPI versions are IBM Platform MPI* and Intel MPI. The setting is stored in the file <code>run_marc_defaults</code> in the <code>marc2019.1.0/tools</code> directory. In the documentation and the scripts, this is labeled as <code>hpmi</code>.</p> <p>The defaults can be changed by editing the file <code>run_marc_defaults</code> or by using the appropriate <code>run_marc</code> option.</p>
---------------	---


11. Type **R**, press **Enter** (twice) to return to the main menu.

Install Mentat

In this part you will install Mentat using the same installer file.

Note: Mentat installation is in continuation with the last step of Marc installation.

The main menu can be seen on the terminal screen



```

root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

Installation script for Linux systems
-----

MSC Software Corporation


Main menu
=====

1 ) Install Marc
2 ) Install Mentat
o ) Options
? ) Help information
q ) Exit from the installation script

Selection : 2
  
```

1. Type 2, press **Enter**.

The Mentat 20XX Menu appears.



```

root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

MSC Software Corporation

Mentat 20XX Menu
-----

l1) Install for Linux 64-bit RHEL 7.1/7.3 (~1.3 GB)
? ) Help information
r ) Return to previous menu

Selection [l1] : l1

You have selected Linux 64-bit RHEL 7.1/7.3.
Is this correct? [Y/n] y
  
```

2. Type **l1**, press **Enter** to admit the operating system version.
3. Type **Y**, press **Enter** to give final confirmation.

```
root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help
? ) Help information
r ) Return to previous menu

Selection [l1] : l1

You have selected Linux 64-bit RHEL 7.1/7.3.
Is this correct? [Y/n] y


Installing Mentat 2019 for Linux 64-bit RHEL 7.1/7.3
Installing the script files to /root/MSC/install
Installing from /root/MSC/products/gl27emt0.k10

Enter the pathname to the directory containing the solver :
[/root/MSC/marc2019] /root/MSC/marc2019
submit1 script adjusted.
submit2 script adjusted.
submit3 script adjusted.
encrypt_uml script adjusted.

Do you want to create links to the startup scripts [y/N] ? y
Where to put the links for the startup scripts? [/usr/local/bin] /usr/local/bin
n
```

4. Type **/root/MSC/marc2019.1.0** as pathname to the directory containing the solver. Press **Enter**.
A prompt to create links to the startup scripts appears.
5. Type **Y**, press **Enter**.
6. Type **/usr/local/bin** to specify the location to put the links for the startup scripts.

The link is created and its name appears on the terminal screen.



```

root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

You have selected Linux 64-bit RHEL 7.1/7.3.
Is this correct? [Y/n] y

Installing Mentat 2019 for Linux 64-bit RHEL 7.1/7.3
Installing the script files to /root/MSC/install
Installing from /root/MSC/products/gl27emt0.k10

Enter the pathname to the directory containing the solver :
[/root/MSC/marc2019] /root/MSC/marc2019
    submit1 script adjusted.
    submit2 script adjusted.
    submit3 script adjusted.
    encrypt_uml script adjusted.

Do you want to create links to the startup scripts [y/N] ? y
Where to put the links for the startup scripts? [/usr/local/bin] /usr/local/bin
n
Link name : /usr/local/bin/mentat20XX
hit return to continue.

```

7. Type **R**, press **Enter** (twice) to return to the main menu.
8. Type **Q** to exit the Marc and Mentat installation.

Install Documentation

This is the third step of the total installation. In this step you will install the Marc and Mentat documentation which will be accessible through Mentat.

1. Download the file `marc_20XX_linux_doc.tar.gz`. Use the following commands to extract the files and start the documentation installation.

```

[root@vm-tmrhel73 MSC]# tar -xvf marc_20XX_linux_doc.tar.gz
install_doc.exe
products/
products/common3.gui
products/list
products/common2.gui
utils/
utils/maintain_usage
utils/read_pdf
[root@vm-tmrhel73 MSC]# ls


```

```
install                                marc_20XX_linux_doc.tar.gz
install_doc.exe                       mentat20XX
install.exe                           msc_licensing_helium_linux64.bin
license.dat                           products
marc20XX                              utils
marc_20XX_linux64_rh7.1_7.3.tar.gz
```

2. Give execution rights to the documentation installer(`install_doc.exe`) using the following command:


```
[root@vm-tmrhel73 MSC]# chmod +x install_doc.exe
[root@vm-tmrhel73 MSC]# ./install_doc.exe
```

Enter the directory path to install the documentation



3. Type `/root/MSC`, press **Enter**.

Main menu for documentation appears.



```

root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

Installation script for Linux systems
-----

MSC Software Corporation


Main menu
=====

d ) Install Documentations
q ) Exit from the installation script

Selection : d

```

4. Type **D**, press **Enter**.



```

root@vm-tmrhel73:~/MSC
File Edit View Search Terminal Help

Installation script for Linux systems
-----

MSC Software Corporation

Main menu
=====

d ) Install Documentations
q ) Exit from the installation script

Selection : d
Installing documentation in /root/MSC /mentat20XX/doc

hit return to continue.

```

The documentation is installed. The location is displayed on the terminal screen.


Verify Installation

In this step you will verify that Marc and Mentat are functioning correctly. Also the documentation will be checked whether or not it is linked with Marc and Mentat.

1. Open terminal and enter the path to run Marc and Mentat as follows:

```
/root/MSC/mentat2019.1.0/bin/mentat
```

Ideally the application should start. It might fail for the security check as follows:

A terminal window titled 'root@vm-tmrhel73:~' with a menu bar (File, Edit, View, Search, Terminal, Help). The terminal output shows a sequence of commands and their results: 'bash: Licensing/Helium/msclic.ini: No such file or directory', '[root@vm-tmrhel73 ~]# /root/M', 'MSC/ Music/', '[root@vm-tmrhel73 ~]# /root/MSC/mentat2019/bin/mentat', 'Unable to locate a license entry for 4104', 'The license server may be unavailable.', 'Verify that your license server is at FLEXlm version 11.13.1.3 or above', 'Security check failed!', and 'Contact MSC Software Support.'

```
root@vm-tmrhel73:~
File Edit View Search Terminal Help
bash: Licensing/Helium/msclic.ini: No such file or directory
[root@vm-tmrhel73 ~]# /root/M
MSC/ Music/
[root@vm-tmrhel73 ~]# /root/MSC/mentat2019/bin/mentat
Unable to locate a license entry for 4104
The license server may be unavailable.
Verify that your license server is at FLEXlm version 11.13.1.3 or above
Security check failed!
Contact MSC Software Support.
```

If Marc and Mentat is unable to fetch the license, you will have to set some environment variables.

You can use the following command to set required variable in different shells:

- In Bash:
`MSC_LICENSE_FILE= 27500@hostname`
`export MSC_LICENSE_FILE`
- In CSH:
`setenv MSC_LICENSE_FILE 27500@hostname`
`export MSC_LICENSE_FILE`

Notes:

- This demonstrated procedure is done using VM ware installed on a windows machine. Here the license of a pre-installed Marc and Mentat package is fetched into Linux (VM ware). A vice versa process is also possible where a license from Linux can be fetched into windows.
- Various types of licenses are available for the users to suit their requirements. For details refer to the *MSC Licensing Helium User's Guide*.
- An elaborated and detailed installation procedure is in [Appendix. C: Linux: Marc/Mentat Files, Subdirectories and Installation](#)
- In case you face any problems related to the licensing, contact:
msc_lic.support@mscsoftware.com or,
MSC Software support center

Installation Information

Options to the install.exe script	<div><div><div></div><div>The <code>install.exe</code> script will accept the following options:</div></div><div><div></div><div><ul style="list-style-type: none">-a Turns on automatic installation – installs both Marc and Mentat from the installation media. The <code>-i</code> option (described below) is required.-i <path> Specifies the installation path (<parent> directory). This option is required when specifying the automatic installation option <code>-a</code>.-l <file> Specifies a file for product listing-v Turns on verbose mode.</div></div><div><div></div><div>The automatic installation will install both Marc and Mentat. To perform an automatic installation, run the installation script as follows: <code>./install.exe -a -i <path></code></div></div></div>
License file	<div><div><div></div><div>Two lines of the file <code>license.dat</code> need to be modified</div></div><div><div></div><div><ul style="list-style-type: none">SERVER line which specifies the system hostnameDAEMON line which specifies the daemon name and the path to the daemon programThe content is typically something like: <code>SERVER this_host 0022192361f 1700</code> <code>DAEMON MSC /your_path/msc</code></div></div><div><div></div><div>The string <code>this_host</code> should be replaced by the hostname of the machine where the license server is running.</div></div><div><div></div><div>The string <code>your_path</code> should be replaced by the full path to the program <code>msc</code>. If the same location as in mentioned in this document is used for the security installation it should be: <code>DAEMON MSC /msc/MSC.Software/MSC Licensing/Helium/MSC</code></div></div></div>
License server	<div><div><div></div><div>The FLEXlm license manager needs to be started on the license server before running Marc and Mentat.</div></div><div><div></div><div>The license server is started with (assuming default installation location) <code>/msc/MSC.Software/MSC Licensing/Helium/lmgrd -c</code> <code>/msc/MSC.Software/MSC Licensing/Helium/license.dat -l</code> <code>/msc/MSC.Software/MSC Licensing/Helium/lmgrd.log</code></div></div></div>
hostid	<div><div><div></div><div>For a nodelocked license it is necessary to obtain a FLEXlm hostid for the machine running Marc and Mentat. This is done by running the command: <code>/msc/MSC.Software/MSC Licensing/Helium/lmhostid</code></div></div></div>

Installation Summary

In this section, installation summary is provided for a single license installation for Linux 64-bit. It is assumed that the licensing is already completed.

Steps	Command Information	Description
Step 1: Download the product and start the install script	mkdir /tmp/marc cd /tmp/marc gunzip <file>.gz tar xvf <file>.tar ./install.exe	Create a temporary directory and download the product file to that directory. Substitute the proper filename for <file>. Use gunzip to uncompress the file and extract the files using the tar command. Start the install.exe script which will be in the current directory. Confirm that Marc 20XX will be installed and enter “I Accept” if you accept the conditions echoed by the script.
Step 2: Install the files on your system		Welcome to the Marc installation script for Linux systems Enter a valid pathname to the directory to install the software (<current directory>).
	Enter the path	/opt/marc
		Marc Installation script for Linux systems MSC Software Corporation Main menu 1)Install Marc 2)Install Mentat o)Options ?)Help information q)Exit from the installation script
	Select option 1	Selection: 1
Marc Installation	The only options available will be those from the product file.	MSC Software Corporation Marc 20XX Menu L1)Install for Linux 64-bit RHEL 7.1/7.3 (~1.1 GB) ?)Help information r)Return to previous menu

Steps	Command Information	Description
	Select option L1 Make your choice.	Selection [L1]: L1 You have selected Linux 64-bit RHEL 7.1/7.3 Is this correct? [Y/n] y Installing Marc 20XX for Linux 64-bit RHEL 7.1/7.3 Installing the script files to /opt/marc/install Installing from /tmp/marc/products/al27emt0.k10
	You may need to be root to create the links. You can use the default selection by just pressing the enter key.	Do you want to create links to the startup scripts [y/N] ? n The current default MARC_MPI is set to intelmpi Do you want to change it to hpmmpi [y/N] ? n You can always change the defaults by editing the run_marc_defaults file in the marc tools directory or use the appropriate run_marc options. Hit return to continue
Mentat Installation	The only options available will be those from the product file.	MSC Software Corporation Mentat 20XX Menu 11)Install for Linux 64-bit RHEL 7.1/7.3 (~1.3 GB) ?)Help information r)Return to previous menu
	Select option l1	Selection [11]: ll You have selected Linux 64-bit RHEL 7.1/7.3 Is this correct? [Y/n]: y Installing Mentat 20XX for Linux 64-bit RHEL 7.1/7.3 Installing the script files to /opt/marc/install Installing from /tmp/marc/products/gl27emt0.k10
	Enter the path to the marc20XX directory. You can use the default selection by just pressing the enter key.	Enter the pathname to the directory containing the solver: [/opt/marc/marc20XX] Press return to continue submit1 script adjusted submit2 script adjusted submit3 script adjusted

Steps	Command Information	Description
	Make your choice	Do you want to create links to the startup scripts [y/N] ? n Press return to continue
Step 3:	Return to main menu	r)Return to previous menu
Step 4: Install Security		Run the installation executable for security. Install and run <code>lmutil</code> to obtain a <code>hostid</code> . Send this information to MSC Software and put the obtained license file in <code>/msc/MSC.Software/MSC Licensing/Helium/license.dat</code>
Step 5: Installing the documentation	<code>mkdir /tmp/documentation</code> <code>cd /tmp/documentation</code> <code>gunzip <file>.gz</code> <code>tar xvf <file>.tar</code> <code>./install_doc.exe</code> Enter the path	Enter the directory used to install Marc and Mentat: <code>/opt/marc</code>

Managing FLEXlm

FLEXlm is the network based licensing product from Flexera Software used in MSC products.

FLEXlm on-line documentation is available from Flexera, see the URL:

<http://support.flexerasoftware.com/doc/>

Note: The above URL is not an MSC Software Corporation site, and MSC has no control over the site's content. MSC cannot guarantee the accuracy of the information on this site and will not be liable for any misleading or incorrect information obtained from this site.

FLEXlm License File

The license file, `license.dat`, should normally be placed in the `/msc/MSC.Software/MSC Licensing/Helium` directory once you receive your licenses from MSC Software. Everyone should have read permission to the file. The file can be located elsewhere as long as the environment variable `MSC_LICENSE_FILE` points to it.

Two lines of the license file contains installation specific information:

```
SERVER this_host 0022192361f 27500
DAEMON MSC /your_path/msc
```

Here `this_host` should be set to the hostname of the machine where the license server is running, `your_path` should be set to the full path to the `msc` program, by default located in `/msc/MSOFTWARE/MSO Licensing/Helium/flexlm/<platform>`

where `<platform>` is the name of the platform of the license server.

FLEXlm License Manager

For the 20XX version, the FLEXlm License Manager must be at version 11.13 or higher.

The license manager must be running on the license server machine.

The license manager is started with (assuming default installation location)

```
/msc/MSOFTWARE/MSO Licensing/Helium/lmgrd -c
/msc/MSOFTWARE/MSO Licensing/Helium/license.dat
-l /msc/MSOFTWARE/MSO Licensing/Helium/lmgrd.log
```

Environment Variables

The environment variable `MSC_LICENSE_FILE` is used to specify the full path to the `license.dat` file, and is a colon separated list of file pathnames. An example setting of `MSC_LICENSE_FILE` is:

```
MSC_LICENSE_FILE=/msc/MSOFTWARE/MSO Licensing/Helium/license.dat:27500@license
servername
```

The environment variable `MSC_AUTHQUE` is used to specify the number of minutes a program will wait for a license after it has been requested. If the license request cannot immediately be honored, the request will be queued and the variable defines how long it should wait in this queue. The variable must be set in your environment before Marc and Mentat are started. The default value is 5 minutes.

It may be set as follows in a Bourne shell:

```
MSC_AUTHQUE=20
export MSC_AUTHQUE
```

In a C shell, it may be set as:

```
setenv MSC_AUTHQUE 20
```

Machine hostid

For a nodelocked license it is necessary to obtain a FLEXlm hostid for the machine running Marc and Mentat. This is done by running the command

```
/msc/MSOFTWARE/MSO Licensing/Helium/lmutil lmhostid
```

8

Running and Using Marc and Mentat

- Running Marc 117
- Running Mentat 120
- Making Changes to the Marc Programs 123
- Mentat Interfaces 123

Running Marc

This section describes the Marc usage on Linux based machines. The Marc programs are mainly controlled by a shell script called `run_marc` which is stored in the `marc20XX` subdirectory `tools`. If you have used the option to creating a link during the installation, this link is also known system wide as `marc20XX`. It is designed to handle practically all possible options.

The shell script will submit a job and must be executed in the directory where all relevant input and output files concerning the job are available. To use the shell script, each Marc job should have a unique name qualifier and all Marc output files connected to that job will use this same qualifier.

Marc input files should always be named `job_name.dat`, whereby the prefix `job_name` is the name qualifier which you are free to choose. The suffix `.dat` is obligatory.

To actually submit a Marc job, the following command should be used. The single input line is split over multiple lines for clarity:

<code>run_marc</code>	<code>-jid</code>	job name (required as minimum)
	<code>-rid</code>	restart file name
	<code>-pid</code>	post file name
	<code>-sid</code>	substructure file name
	<code>-prog</code>	name of a previously saved user executable
	<code>-user</code>	user subroutine name
	<code>-save</code>	save user executable
	<code>-back</code>	run in background
	<code>-ver</code>	verification flag
	<code>-vf</code>	view factor file name
	<code>-def</code>	defaults file name
	<code>-nproc</code>	number of domains
	<code>-nprocs</code>	number of domains in Single Input File mode
	<code>-nts</code>	number of threads for parallel matrix solver (same as <code>-nthread_solver</code> or <code>-nthread</code> or <code>-nt</code>)
	<code>-nte</code>	number of threads for element assembly and stress recovery (same as <code>-nthread_elem</code>)
	<code>-nsolver</code>	number of matrix solver tasks
	<code>-mpi</code>	mpi version
	<code>-dir</code>	directory where job I/O takes place
	<code>-sdir</code>	directory where the scratch files are located
	<code>-host</code>	host file name; used for distributed execution in a network
	<code>-ci</code>	copy input files to remote machines in a network
	<code>-cr</code>	copy post files back from remote machines in a network
	<code>-ml</code>	memory limit in Megabytes
	<code>-gpuid</code>	GPU card ID or auto keyword

Table 8-1 describes the meaning of these input options and Table 8-2 gives examples. The default actions are shown in **bold** font.

Table 8-1 run_marc Input Options

Keyword	Options	Description
-jid (-j)	job_name	Input file (job) name identification.
-prog (-pr)	progname	Run saved executable progname.marc from a previous job (see -user and -save).
-user (-u)	user_name	User subroutine user_name.f is used to generate a new executable program called user_name.marc (see -save and -prog).
-save (-sa)	no yes	Do not save the new executable program user_name.marc. Save the executable program user_name.marc for a future time (see -prog and -user).
-rid (-r)	restart_name	Identification of previous job that created RESTART file.
-pid (-pi)	post_name	Identification of previous job that created the post file.
-sid (-si)	substructure	Identify the job that contains the solution to the external nodes of the superelement.
-back (-b)	yes no	Run Marc in the background. Run Marc in the foreground.
-ver (-v)	yes no	Ask for confirmation of these input options before starting the job. Start the job immediately.
-def (-de)	default_file	File name containing user defined default data.
-nprocd (-np)	number	Number of domains for parallel processing.
-nprocds (-nps)	number	Number of domains for parallel processing using a Single Input File.
-nts (-nthread)	number	Number of threads per parallel matrix solver (8, 9, and 11).
-nte	number	Number of threads used for parallel matrix assembly and stress recovery.
-nsolver	number	Number of processes to use for the MUMPS parallel matrix solver (solver 12).
-dir	directory_name	Pathname to directory where the job I/O should take place. Defaults to current directory.
-sdir	directory_name	Directory where scratch files are placed. Defaults to -dir.
-host (-ho)	hostfile	Specify the name of the host file for running over a network (default is execution on one machine only in which case this option is not needed).
-ci	yes no	Copy input files automatically to remote hosts for a network run, if necessary.

Table 8-1 run_marc Input Options (continued)

Keyword	Options	Description		
-cr	yes no	Copy post files automatically from remote hosts used for a network run, if necessary.		
-vf	viewfactor_name	Name of file containing viewfactors for radiation from previous analysis or from Mentat using either the Monte Carlo or Hemicube method.		
-mpi	intelmpi hpmmpi	Select which version of mpi will be used for Domain Decomposition or the MUMPS solver. If not specified, the appropriate default shown below will be used:		
		Platform	Default MPI	Alternative MPI
		Linux 64	intelmpi	hpmmpi
-ml	memlimit	Memory limit for deciding if the solver should go out-of-core. Specified in Mbyte. Defaults to the physical amount of memory on the machine.		
-gpuid	<id:id:id> or auto	GPU card number or auto for automatic selection by program. For parallel (DDM) jobs, multiple card IDs can be specified if available.		

Table 8-2 Examples of Running Marc Jobs

Examples of running Marc jobs	Description:
run_marc -jid e2x1	Runs the job e2x1 in the background, the input file e2x1.dat resides in the current working directory.
run_marc -jid e2x14 -user u2x14 -save yes	Runs the job e2x14 in the background, using the user subroutine u2x14.f and the input file e2x14.dat . An executable program named u2x14.marc will be saved after completion of the job.
run_marc -jid e2x14a -prog u2x14	Runs the job e2x14a using the executable produced by job e2x14 .
run_marc -jid e3x2a -ver no -back no	Runs the job e3x2a in the foreground. The job will run immediately without verifying interactively.
run_marc -jid e3x2b -rid e3x2a	Performs a restart job using the results of the previous job e3x2a .
run_marc -jid e2x1 -nproc 2	Runs a two processor job on a single parallel machine.
run_marc -jid e2x1 -nproc 2 -host hostfile	Runs a two-processor job over a network. The hosts are specified in the file hostfile (refer to the Marc Parallel Network for runs on a network of machines).

Running Mentat

This section describes the Mentat usage on Linux based machines. Mentat is started by a shell script called **mentat** which is stored in the `mentat2019.1.0/bin` directory. If you used the option to create a link during the installation, this link is known system wide as **mentat20XX**.

You do not need to start the shell script from a specific directory.

Mentat creates the default files in your current working directory; that is, where you are located at the time of starting Mentat.

The shell-script *mentat* contains a number of arguments which are passed on to Mentat. [Table 8-3](#) gives the meaning of these input options (more details can be obtained using **-help** option). You are free to alter these commands to suit your preference.

Table 8-3 Mentat Input Options

Keyword	Option	Description
-mode	preset1/preset2	This will launch the application in the selected preset mode. For preset1, which is the default, the traditional theme, the traditional mouse button scheme and complete picking will be active. For preset2, the dark theme, the auto-dynamic mouse button scheme and partial picking will be active.
-ar	area ratio	This option sets the initial window size to the given fraction of the available space on the desktop.
-xr	horizontal ratio	This option sets the initial width of the window to the given fraction of the available width on the desktop [default: 0.92]
-yr	vertical ratio	This option sets the initial height of the window to the given fraction of the available height on the desktop [default: 0.92].
-aspr	aspect ratio	This option sets the aspect ratio (width over height) of the window [default: 1.6].
-maximize		Starts up Marc Mentat maximized.
-minimize		Starts up Marc Mentat minimized (iconified).
-bg		Will run Mentat in the background. Note that the DISPLAY environment variable must point to a valid display.
-bp	\$ (DIR) /bin/	Directory path name where the external Mentat programs and shell scripts are located.
-compile	binary_menu_filename	This is used to compile ASCII menu files into a binary menu file. The -mf option would be used to specify the new binary file. To recompile the default binary menu file <code>main.msb</code> , compile as: <code>bin\mentat -compile menus\win64\main.msb</code> Substitute for <plat> the platform name <code>linux64</code> .

Table 8-3 Mentat Input Options (continued)

Keyword	Option	Description
-dr	True/False	Enable/disable direct rendering. Enabling this option will make OpenGL bypass the underlying window system and render directly from hardware to the screen, if this is supported by the system. The default is True .
-fn	font	Default font type.
-fngr	font	Font used by the graphics windows (overrides the font selected via the -fn option).
-fnme	font	Font used by the menus (overrides the font selected via the -fn option).
-gradient		Switches on a gradient background when displaying the various windows (Model, Table, History Plot, etc.).
-hd	<i>name filename</i>	<p>Define a document viewer with the given <i>name</i> for viewing a document that consists of a set of HTML files. The <i>filename</i> must be the name of an XML file that defines the contents of the document. A menu item to open the viewer can be created by adding an <code><html_doc></code> element that references the viewer (via the “name” attribute) to the appropriate <code><menu></code> in <code>menus/menubar.xml</code>. The XML file must have the following contents:</p> <pre><?xml version="1.0" encoding="UTF-8"?> <html_doc> <proc_root env="DEMO_DIR"/> <title_page href="index.html"/> <contents> <chapter href="file1.html"/> <chapter href="file2.html"/> </contents> </html_doc></pre> <p>The “href” attributes of the <code><title_page></code> and <code><chapter></code> elements specify, respectively, the path to the HTML file of the title page and the HTML files of the chapters of the document. The file paths must be given relative to the directory in which the XML file is located.</p> <p>For example, the Mentat startup script defines the document viewer for the User’s Guide as follows:</p> <pre>-hd ug help/ug/ug.xml</pre> <p>and <code>menubar.xml</code> contains the following element to open the viewer:</p> <pre><html_doc name="ug" title="User's Guide"/></pre>
-help		Print a list of all of the options.

Table 8-3 Mentat Input Options (continued)

Keyword	Option	Description
-hide_dialog		Hide the dialog window at startup.
-hide_dynamic_menu		Hide the dynamic window at startup.
-hide_main_menu		Hide the main window at startup.
-hp	\$ (DIR) /help/	Directory path name where the help files are located.
-lf	<i>filename</i>	Specify the Mentat log file name.
-license_release	number	Enable Mentat to release its licenses if the program is inactive for the specified amount of time. The number is in minutes and must be greater than one.
-mf	main.ms	The name of the startup menu file.
-ml	\$ (DIR) /material/	Directory path name where the material files are located.
-mp	\$ (DIR) /menus/	Directory path name where the menu files are located.
-multiundo	off/on	Enables the user to either set the one-level UNDO option (off), with data saved in memory, or the multi-level UNDO option (on), with data saved on disk [default: off].
-undo_levels	number	Number of UNDO levels when the multi-level UNDO option is active. The minimum is 1, the maximum is 50 [default: 10].
-nosolidmodeling		Utilize the Mentat_Parasolid_CAD which allows geometric models to be imported but does not allow solid geometry editing.
-path	directory_name	Provides a directory in which Mentat searches when opening an existing input file. Multiple directories can be specified as follows: <i>-path directory_1 -path directory_2</i> etc.
-pr	<i>filename</i>	Any additional set-up commands you wish to add. Store these in a procedure file containing the Mentat commands.
-ra		Reads all of the ASCII Menu files.
-rf	<i>filename</i>	Record the Mentat commands in the procedure file <i>filename</i> .
-szgr	width height	Set the size (width and height in pixels) of the graphics area.
-ti	title	Append <i>title</i> to the name of the window.
-unicode		Allows the use of unicode characters in load case titles, job titles, annotations and user-defined names of results file variables.

Making Changes to the Marc Programs

Modifying the MPI Setting

The MPI version used by default is defined in the table below. It also lists an alternative MPI version to use for the respective platform. The default MPI version to use can be set in the `run_marc_defaults` file (see next section). Enter a line

```
MARC_MPI alternative_mpi
```

for setting a new default. Use the exact word as given in the Alternative MPI column. The MPI version can also be set with the command line option `-mpi` to `run_marc`. The command line option overrides the value set in `run_marc_defaults`.

Platform	Default MPI	Alternative MPI
Linux 64	intelmpi	hpmmpi

Setting defaults with the `run_marc_defaults` file

A file called `run_marc_defaults` located in the user's home directory (as given by the environment variable `HOME`) or in the tools directory of the Marc installation can be used for setting program defaults. If both are present then the setting in the user's home directory will be used.

The following setting is currently available:

MARC_MPI	as given in the above table
----------	-----------------------------

This selects the MPI version to use.

Mentat Interfaces

Mentat External Programs

Mentat supports a number of CAD interfaces: IGES, Patran, Ideas, VDAFS, etc. These interfaces are accessed using external programs called from within Mentat. The interface programs are stored in the `mentat2019.1.0` subdirectory *bin*. These programs read the data files in their native format and translate the contents into a Mentat model file. This file is subsequently read by Mentat. The external programs are called from within Mentat by means of the FILE submenu.

Jobs

The subdirectory `bin` contains shell script files to start a Marc FEM job using the following shell scripts:

```
submit1, submit2, submit3,
```

These shell scripts are called by means of the buttons in the JOBS menu.

You can alter these files to suit your environment; for example, set up one of the *submit* scripts so that it starts a Marc job on a different machine on your network.

Plotter Interface

Because of the many variations in plotting environments, we have created plotting interfaces in the form of shell scripts that operate from within Mentat. Currently, Mentat recognizes the following plotting formats:

- PostScript
- Xdump (translated in either PostScript or HPGL format)

This section describes a template shell script for each of the formats mentioned above. They are located in the `bin` directory and are named as follows:

```
psgray1, psgray2, psgray3
pscolor1, pscolor2, pscolor3
xdump1, xdump2, xdump3
```

PostScript

The PostScript function is activated by pressing either the **Gray** or **Color Print** button from the **UTILS** menu on the **POSTSCRIPT** panel. The program captures the graphics portion of the screen into a file and sends this file to a PostScript printer using the `psgray` or `pscolor` shell scripts located in the `bin` directory. In the example listed below, the file is sent to a computer called 'mars' on the network. The `lpr` command with the `-Psupt` argument sends the file to a PostScript printer known to the spooler as **supt**. After the file is sent, it is removed from disk automatically.

```
#!/bin/csh
rsh mars lpr -Psupt < $1
rm -f $1
```

The argument `$1` is the filename handed to the shell by Mentat. If there is more than one printer on-line, the `psgray` and `pscolor` shell scripts can be used to address these other printers.

Xdump

The `xwd` command, widely available on many platforms, dumps an image of an X window into a specially formatted dump file. This file can then be read by various other X utilities for redisplay, printing, editing, formatting, and archiving. Its complementary `xpr` command takes the window dump file as input and formats its output for a particular device, such as a PostScript or other color printer. Below is an example of a shell script that uses `xwd`, and, in conjunction with `xpr`, sends the information to printer `pjetx1`. See the man pages on your system for more details.

```
#!/bin/csh
xwd | xpr -device pjetx1 -scale 2 | /etc/aprint -Abatphone2 -L25
```

Edit

The **edit_window** shell script is used to control the editor associated with the **EDIT** commands. It is possible to change the type of editor, for example, from **vi** to **emacs** or change the type of windowing environment.

System Shell

The **system_window** shell script is used to control the type of window opened with the `system_shell` command. It is possible to change the type of window.

Parallel Render

The **marc_render** shell script can be modified such that the photorealistic rendering is performed across multiple CPUs. The parameter **nbands** is used to specify the number of CPUs.

MPEG Playback

The `mpeg_window` shell script is used to control the program opened with the `play_mpeg` command.

9

Marc Parallel Network

- Hardware and Software Requirements 128
- Installation Notes 130
- User Notes 131

Hardware and Software Requirements

This section provides the general description about the hardware and software requirements and definitions.

If your cluster requires a password to perform **ssh** or **rsh** between nodes, you may need to enter your password every time you run a parallel job. You can disable the password requirement in the use of **ssh** or **rsh**. Please consult your system administrator for password requirement in the use of **ssh** and **rsh**.

Although no specific hardware requirements exist for Marc to run in network mode, it is preferable to have fast network connections between the machines. It is recommended that the network should have a speed of at least 1 GBit per second. If only two machines are to be used, a hub or a cross-over cable can be used to connect them. If more than two machines are to be used, a switch is preferable. TCP/IP is used for communications.

The list of supported capabilities in parallel can be found in “[Supported and Unsupported Features](#)” in Chapter 12 of *Marc Volume A, Theory and User Information*.

The Supported platforms are listed in the section “[Supported Platforms](#)” in Chapter 6 of this guide.

Compatibility

All machines used in a network must use the same Marc version.

Definitions

The definitions of some of the terms are as follows:

Table 9-1 Definitions

Sr. No	Term	Definition
1	Root machine	The machine on which Marc job is started.
2	Remote Machine	Any machine other than the root machine which is part of a distributed Marc run on the network.
3	Shared installation	Marc is installed in an NFS shared directory on one machine only. The other machines can access the Marc executable since the directory is shared.
4	Distributed installation	Marc is installed on all machines. Each machine accesses its own Marc executable.

Table 9-1 Definitions

Sr. No	Term	Definition
5	Distributed execution	Marc is run on multiple machines which are connected with a network. Each machine loads the Marc executable either from a shared or a local directory and then executes the executable.
6	Shared I/O	Marc reads and writes data in a NFS shared directory. Each Marc executable running on the network reads/writes to the same directory.
7	Distributed I/O	Marc reads and writes data in a directory located on each machine. The user must make the input available in each directory and collect the results files after the analysis.
8	NFS	Network File System.

Network Configuration

Marc only needs to be installed on the root machine where the installation directory is shared via NFS (shared installation). Please note that if HPMPI or Intel MPI is used the installation directory must be available with the same path for every machine. Marc can also be installed on the remote machines which then use their own executable (distributed installation), but the name of the path must be the same.

- The root machine is the one on which the Marc job is started, typically from within Mentat.
- The remote machines can be located anywhere as long as they are connected to the network.

The working directory on each machine can be a shared directory on any machine on the network (shared I/O) or it can be a local directory on the hard disk of each machine in the analysis (distributed I/O). The User Notes describes how to specify what working directory to use.




Figure 9-1 Network Configuration

Installation Notes

This section describes the procedure required to install and set up a network version of Marc. For general information on Marc installation, see Marc and Mentat Installation.

Install Marc on the root machine. Marc only needs to be installed on the root machine. However, if Marc is to be used on the remote machines as well, it can also be installed there. There is nothing special that needs to be done related to the installation itself for the network version. For IBM MPI and Intel MPI the installation directory must be available with the same path on every machine, regardless of if the installation is local or if it uses a shared directory.

In order to run parallel jobs on machines connected over the network, it has to be set up properly. If any of the remote hosts does not have Marc installed, the installation directory on the root machine needs to be shared using NFS or some other mechanism so that the Marc version is available from the remote machines. Users need to be able to connect between the machines using `rlogin` or `ssh` without having to provide a password. It is possible to define if `rsh/rcp` or `ssh/rsh` or similar command is to be used. This is done by modifying the variables `RCP` and `RSH` in the include file for the platform used.

Assume that, there are two machines with hostnames `host1` and `host2` to be used in a parallel job over the network. Marc has been installed on `host1` and the job is to be started from this machine. A hypothetical naming convention is used for shared directories where a directory name on any machine starts with `/nfs/hostname`, where **hostname** is the name of the machine on which the directory is located.

1. Test the installation for single processor execution.
2. Change directory to the `test_ddm` subdirectory of the Marc installation directory on `host1`.
3. Then do

```
cd exmpl2/exmpl2_1
marc -j cyl2 -b no -v no
```

Marc should exit in about three minutes if it is a successful run. Here we assume that the command **marc** points to the current Marc version.

4. Test the Marc installation for multi-processor execution. Do the following:

```
cd ../exmpl2_2
```

5. Edit the file `hostfile` in this directory by replacing `workdir` with

```
/nfs/host1/marcinstall/test_ddm/examp2/exmpl2_2
```

and `installdir` with

```
/nfs/host1/marcinstall.
```

6. For HPMPI and Intel MPI delete `installdir` (so only use three columns in the host file).
7. The host names and directory names should be replaced with the names on the current system.
8. Finally, type:

```
marc -j cyl2 -b no -v no -nproc 2 -host hostfile
```

Marc should exit in about two minutes if it is a successful, parallel run on `host1` and `host2` using one processor on each.

User Notes

This section provides miscellaneous information about executing a parallel job over a network and use of user subroutines.

This section assumes that the network version of Marc has been successfully installed on at least one of two machines that are to be used in a distributed analysis and that the appropriate Marc licenses are in order. Assume that `host1` is the host name of the machine on which Mentat is running and from which the job is to be started (the root machine). The host name of the other machine (the remote machine) is `host2`.

Running a network job

First, make sure that the two machines are properly connected. From `host1`, access `host2` with

```
rlogin host2
```

or

```
ssh host2
```

If a password needs to be provided for the remote login, this has to be taken care of. If the `rlogin` or `ssh` is not possible without providing a password, a network run will not be possible. If you face any problems, refer to [Chapter 10: Linux Troubleshooting](#).

Note: The current version does not support the IPV6 protocol.

In order to perform an analysis over a network, you have to create a specific file called `host file`. This file defines which machines are to be used, how many processes are to run on each, what working directory should be used, and where the Marc executable can be found on each machine. The host file can be selected and edited in Mentat and the Marc job started as usual from within Mentat (see the example below). If Marc is run from the command line, it is done as for a serial run using an additional command line option. For example:

```
marc -v no -b no -jid test -nprocd 2 -host hostfile1
```

will run the two-processor job `test.dat` using the specification in the file `hostfile1`. No specific name or extension is used for the host file except that the name `jobid.host` (in this example `test.host`) must be avoided since it is used internally by Marc.

Specification of the Host File

The host file has the following general format:

```
host1 n1
host2 n2 workdir2 installdir2
host3 n3 workdir3 installdir3
```

- Each line must start at column 1 (no initial blanks). Blank lines and lines beginning with a `#` (number symbol) are ignored. The fourth column with `installdir` should not be used with HPMPPI or Intel MPI.
- The first entry is the host name of a machine to be used in the analysis. The root machine must be listed first and each machine must only occur once.

- The second entry specifies the number of processes to run on the machine specified in the first entry. The sum of the number of processes given in the host file must equal the number of domains used. In a five-domain job, it is required that $n_1+n_2+n_3=5$.

The third entry specifies the working directory to use on this host. This is where the I/O for this host takes place. The Marc input files for this machine must be in this directory and the results files for this machine are created in this directory.

The fourth entry specifies where the Marc installation directory that this host should use is located. This entry can be omitted if the name of the Marc installation directory is the same on all machines (which could be a shared directory on host1 with the same name from host2 and host3). This is a requirement for HPMPi and Intel MPI so this entry should here be omitted.

The directories in the third and fourth entries will be used from the respective host. To check the correctness of the host file specification, log in to the respective machine and list the directories as specified in the host file. For the host file given above, do:

```
ssh host2
ls workdir2
ls installdir2
```

The second line should show the working directory to use on host2 and the third line the installation directory which will be used by host2.

The different domains of the Marc job are associated with the different machines as follows. Suppose a five-domain job test is run using a host file defined as

```
host1 2
host2 1 workdir2 installdir2
host3 2 workdir3 installdir3
```

with appropriate definitions of the third and fourth entries

There will be six Marc input files associated with this job: test.dat, 1test.dat, ..., 5test.dat. Domains 1 and 2 will be associated with host1, domain3 with host2 and domains 4 and 5 with host3.

Shared I/O

Suppose a job is to be run on host1 and host2. A shared directory on host1 is to be used for I/O and from host2 its name is /nfs/host1/marc/workdir (assuming a hypothetical naming convention for shared directories which starts with /nfs/hostname). The installation directory is assumed to have the same name on both machines. The host file for a two-processor job would simply be

```
host1 1
host2 1 /nfs/host1/marc/workdir
```

To verify the workdir given, do `rlogin host2 ; ls /nfs/host1/marc/workdir`. The directory seen should be the same one as the working directory on host1.

Distributed I/O

If you want to have the I/O to be local on host2, specify the host file as

```
host1 1
host2 1 /usr/people/marcuser
```


The I/O on host2 will now take place in the directory `/usr/people/marcuser` on the hard disk of host2. For this case, the Marc input files are transferred to `/usr/people/marcuser` on host2 before the job is started, and the results files are transferred back after the analysis for postprocessing. This transfer of files is done by Marc automatically.

It is also possible to use only two entries in the host file. This requires that both the working directory and the installation directory have the same names on all machines.

Example

The definitions for a network run with Mentat is demonstrated with a simple example. We assume the simplest case where both the working directory and installation directories are shared.

- 1. Enter the menu **Help → Run a Demo...**
A **Run A Demo** dialog appears.




- 2. Select the example **Contact With DDM**.


Note:

The input creation for the demo problem automatically starts as you select any of the problems. It continues till the results are seen. To stop/pause the automatic inputs creation, you need to click on the stop button. Once you stop the procedure use the Step button to see a step-by-step input creation.

- 3. After the process is completed, click **Close result file** button.




4. Select **Jobs** tab and check **Identify** to confirm your two domains as shown in the image as follows:




The complete model workflow can be seen in the **Model Navigator**.

5. Right click on **Indent** and select **Properties** from the drop down list.



The Job Properties dialog appears.



6. Click **Run**.

The **Run Job** dialog appears.

Run Job

Name: *indent*

Type: *Structural*

User Subroutine File

Solver/Parallelization

Symmetric Solution: *DDM with 3 Domains*

Multifrontal Sparse Solver: *1 Assembly/Recovery Thread*

No GPU(s)

Title: Style: Multi-Physics Save Model

Submit (1) Advanced Job Submission

Update Monitor Kill

Status: *Complete*

Current Increment (Cycle): *70 (3)*

Singularity Ratio: *0.94538*

Convergence Ratio: *16210*

Analysis Time: *1*

Wall Time: *8*

Total

Cycles: *368* Cut Backs: *3*

Separations: *29* Remeshes: *0*

Exit Number: *3004* Exit Message



Edit Output File Log File Status File Any File

Open Post File (Model Plot Results Menu)

Reset OK

- Click **Solver/Parallelization** button.


The Solver/Parallelization dialog appears.



- Ensure the **Use DDM** option is selected. In this case three domains are used.
- Select **Network** option from the submenu.
An additional option to select the host file appears just below **Network**.
- Click on the **Host File** button and select the file called `hostfile` from the install directory and modify it to contain:


```
host1 1
host2 1  workdir installldir
```
- Set the working directory according to the share names on the current system. The host file places one domain on `hostname1` and one domain on `hostname2`.

8. Run Marc from within Mentat using the **Submit 1** button. Upon completion of the analysis, the **Run Job** dialog box appears:



The Run Job dialog box displays the following information:

Name	
indent	

Type: Structural

User Subroutine File

Solver/Parallelization

Symmetric Solution	DDM with 3 Domains
Multifrontal Sparse Solver	1 Assembly/Recovery Thread
No GPU(s)	

Title Style Table-Driven Save Model

Submit (1) Advanced Job Submission

Update Monitor Kill

Status Complete

Current Increment (Cycle)	70 (3)
Singularity Ratio	1
Convergence Ratio	10790
Analysis Time	1
Wall Time	4

Total

Cycles	368	Cut Backs	3
Separations	29	Remeshes	0

Exit Number 3004 Exit Message


Edit Output File Log File Status File Any File

Open Post File (Model Plot Results Menu)

Reset OK

9. Check your results by clicking the **Open Post File (Results Menu)** button.

A plot of the Total Equivalent Plastic Strain in the final deformed configuration is shown as follows:



Marc created a post file associated with each domain as well as a root post file associated with the job id. For the previous model, `1model1_job1.t16` and `2model1_job1.t16` are the processor files, while `model1_job1.t16` is the root file.

If the model is very large, it can be convenient to view only a portion of the model by selecting any one of the processor post files, such as `2model1_job1.t16`. This file contains only data associated with domain 2 as selected in the domain decomposition menu. As described in the earlier steps, this file was created by `host2`.

Shared vs. Distributed I/O

For jobs with very large post or restart files, it is usually more efficient to use distributed I/O. With distributed I/O, the input files and the post files are located on the host's local disks. Marc by default automatically transfers the input files and the post files to and from the remote host if needed. It is possible to suppress this transferring with two buttons in the Network settings in the **JOBS** menu in Mentat.

To run a job using distributed I/O, specify a local directory in the host file:

```
host1 2
host2 1 /usr/people/marcuser
```

Jobs with User Subroutine

User subroutines are fully supported in the network version.

The Fortran file with the subroutine is located in the working directory on the root machine. Marc automatically creates the executable and makes it available on all remote hosts. There is no need to modify the host file if it is correct for a job without a user subroutine.

If the working directory is shared for all remote hosts, the user subroutine is compiled on the root machine and the executable is available in the shared working directory.

If a remote host is using a local working directory, the executable will be automatically copied over to the remote machine using remote copy (`rcp` or `scp`). Marc automatically knows if a directory is shared or local.

Troubleshooting

If you face any problems in launching Marc Mentat, check the following:

1. The network connection between the hosts is working by using the command `ping host`.
2. A remote login using the command `rlogin` can be done between the hosts without providing a password. If not, contact your system administrator or check the man pages for `rlogin` and look for `.rhosts`.
3. The host names used in the hostfile are correct. It should be the same as the output from the command `hostname` on the respective host.
4. The working and installation directories on the host file are correct. Log onto the remote host, change directory to these directories to verify the host file content. The installation directory given should (among others) contain the executable in the `bin` directory.

5. The input files for each host are available in the respective working directory. An error message is printed out from Marc if they are not.

Error messages:

1. The error message `semget failed...` at job start-up means that the communication environment is not clean. This can be checked with the Linux command `ipcs`. If entries belonging to specific users except `root` show up, they may need to be removed. Run the script `tools/mpiclean` located in the Marc installation directory.

Note: This will kill all parallel jobs currently running under the current user.
Only entries belonging to the current user are deleted.

10

Linux Troubleshooting

Cannot create

Cause	You have no write permission in the <parent> directory.
User Actions	Change with chmod

Security failed

Cause	<p>The possible causes for this are:</p> <ul style="list-style-type: none"> ■ Marc or Mentat was unable to obtain a license from the FLEXlm licensing software. ■ The FLEXlm license manager is not running. See Appendix C for information on how to run the license manager. ■ You are attempting to run on a machine that according to the license file you are not allowed to use. ■ Your license period has expired. Check the date on your machine. <p>For counted licenses, currently running too many Marc jobs.</p>
User Information	In this case, Marc or Mentat will exit.
User Actions	<ul style="list-style-type: none"> ■ If you have just modified the <code>license.dat</code> file, the <code>lmgrd</code> and <code>MSC</code> daemons may not have been restarted. Run the lmreread utility as follows: <pre>lmreread -c <parent>/msc/MSC.Software/MSC Licensing/Helium/license.dat</pre> ■ If you get the FLEXlm error: <p>Invalid (inconsistent) license key (-8,130:2) No such file or directory</p> <p>it may be implying that the <code>hostid</code> value specified on the <code>SERVER</code> line are inconsistent with the <code>hostids</code>. Check the values and restart the license manager.</p> ■ If you get the following FLEXlm error when using a server license: <pre>Cannot connect to license server (-15,12:146)</pre> <p>it means, the license manager (<code>lmgrd</code>) may not be running on the license server, or the <code>USE_SERVER</code> line in your client side <code>license.dat</code> file is incorrect. Also make sure that the TCP/IP port numbers used on the <code>SERVER</code> line are the same on both the client and the server.</p> ■ If you get the FLEXlm error: <pre>No such feature exists (-5,147)</pre> <p>and your license is limited to certain systems, you may be trying to run on a system that is not licensed for use. Check that the lmhostid of the system you are trying to use and that on your <code>marc20XX (FEATURE MARC)</code> license is the same.</p>

Link failed in Marc

Cause	<ul style="list-style-type: none">■ Your user subroutine causes compiler errors.■ You have no Fortran compiler.■ Fortran libraries not available.
User Actions	Check the variable syslibs in the file include in the <code>marc installation</code> subdirectory <code>tools</code> . It references special system libraries in <code>/usr/lib</code> which may not exist on your system.

Testing Marc installation failure

User Actions	If you are using <code>install.exe</code> to test Marc installation and the Test and maintain installation does not respond, remove <code>exec tcsh</code> from your <code>.cshrc</code> and restart installation testing.
--------------	---

Mentat cannot open display

Cause	<ul style="list-style-type: none">■ Mentat does not have X server access to your display device.■ You are using a terminal other than the default screen belonging to the machine, without setting the X-window output device.
User Actions	<ul style="list-style-type: none">■ Ensure Mentat has X server access to your display device. The following command allows Mentat to run on a remote screen: <div>xhost +</div><p>This command must be issued while logged onto the computer that owns the remote screen.</p>■ If you are using a terminal other than the default screen belonging to the machine, you may have to set the X-window output device: <div>C-shell: setenv DISPLAY your_terminal_name:0.0</div>■ Bourne shell: <code>DISPLAY=your_terminal_name:0.0 export DISPLAY</code>

Mentat runs, then aborts.

Cause	The model you are working on becomes very large.
User Information	Mentat requires a considerable amount of memory to store the model. Ensure that a minimum of 8 GB core memory is available in your machine.
User Actions	<ul style="list-style-type: none"> ■ Increase the core memory upto 8 GB ■ If the multi-level UNDO option is off, you can save memory by switching UNDO off in the Tools → Program Settings... menu.

You are prompted for a password when running parallel jobs

User Information	<ul style="list-style-type: none"> ■ In Marc 20XX, on Linux the default MPI version is IntelMPI. This MPI version requires that the ssh command has been set up such that it does not prompt for a password. Here is a description on how to set this up. ■ Make sure there is a directory called .ssh in the home directory (note that in this home directory only you must have write access): <ul style="list-style-type: none"> • <code>cd \$HOME</code> • <code>ls .ssh</code> ■ If it does not exist, create it: <ul style="list-style-type: none"> • <code>mkdir .ssh</code> • <code>chmod 700 .ssh</code> • <code>cd .ssh</code> ■ Execute the command <ul style="list-style-type: none"> • <code>ssh-keygen -t rsa -f id_rsa -P "</code> ■ It is -P followed by two single quotes. This will create two files: id_rsa and id_rsa.pub. Copy id_rsa into a file called identity: <ul style="list-style-type: none"> • <code>cp id_rsa identity</code> • Append id_rsa.pub to a file called authorized_keys • <code>cat id_rsa.pub >> authorized_keys</code> • <code>chmod 600 authorized_keys</code> ■ The directory \$HOME/.ssh should now contain the four files id_rsa, id_rsa.pub, identity and authorized_keys (and possibly more files).
------------------	---

- If all went well it should now be possible to do:

ssh thishost

- with thishost replaced by the hostname of the current machine, without getting a prompt for the password. After this it should be possible to run a parallel job without having to provide a password.
 - In order to be able to connect to other Linux machines without being prompted for a password (for example for running parallel network jobs), use the following steps:
- Copy the file `id_rsa.pub` that was created above to the other machine. Make sure it has a directory `$HOME/.ssh`. Append the file `id_rsa.pub` to the files `$HOME/.ssh/authorized_keys` and `$HOME/.ssh/authorized_keys2` and give them the appropriate permission:

```
cat id_rsa.pub >> $HOME/.ssh/authorized_keys
cat id_rsa.pub >> $HOME/.ssh/authorized_keys2
chmod 600 $HOME/.ssh/authorized_keys $HOME/.ssh/authorized_keys2
chmod 700 $HOME/.ssh
```
 - The first time you login with ssh to the second system you will get a warning and asked if you want to continue. Type yes to accept and the remote host will be added to the file `$HOME/.ssh/known_hosts` and the next time you will not be prompted.

SECTION 3: APPENDICES

A

Microsoft Windows: Marc Subdirectories and Installation

- Marc Subdirectories 149
- Installation Procedure 151

Marc Subdirectories

The Marc version you have received contains a full set of subdirectories listed below. You can save disk space by removing the example subsets that you do not need.

Table A-1 Contents of the Marc installation

Basic set	Contents: required as minimum
bin	executable Marc programs
tools	batch scripts to run and maintain the Marc programs
AF_flowmat	material data for database
xdr_lib	machine dependent libraries
lib_shared	machine dependent libraries
Extended set	Contents: only for use with user subroutines
lib	binary libraries with the compiled Marc routines
common	insert files containing Marc common blocks
user	templates for all available Marc user subroutines
Examples	Contents: example files
demo	input files and user subroutines for the <i>Marc Volume E: Demonstration Problems</i>
demo_ddm	input files and user subroutines for the single parallel machine as well as the network parallel version of Marc
demo_table	input files and user subroutines for <i>Marc Volume E: Demonstration Problems</i> based upon Table driven input format
test_ddm	one, two, and four processor test examples for installation testing of the single parallel machine as well as the network parallel version
Utilities	Contents
pldump	source routines for the post-file conversion programs pldump, pldump13 and pldump2000
intelmpi	MPI libraries for network parallel version

FLEXlm 11.13 VS Helium(11.16.3.0) License Manager

This section contains information and directory paths according to Helium license manager. The changes in the default paths in comparison with FLEXlm 11.13 are as in the following table:

11.13	Helium (11.16.3.0)
C:\MSC.Software\MSC.Licensing\11.13\msc	C:\Program Files\MSC.Software\MSC Licensing\Helium\msc
C:\MSC.Software\MSC.Licensing\11.13\lmtools	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmtools
C:\MSC.Software\MSC.Licensing\11.13\install s	C:\Program Files\MSC.Software\MSC Licensing\Helium\installs
C:\MSC.Software\MSC.Licensing\11.13\lmgrd	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmgrd
C:\MSC.Software\MSC.Licensing\11.13\LOG	C:\MSC.Software\MSC Licensing\Helium\LOG
C:\MSC.Software\MSC.Licensing\11.13\lmutil	C:\Program Files\MSC.Software\MSC Licensing\Helium\lmutil
C:\MSC.Software\MSC.Licensing\11.13\msclic. ini	C:\Program Files\MSC.Software\MSC Licensing\Helium\msclic.ini

Installation Procedure

Steps	Command Information	Description
Step 1: Security		<p>Download FLEXlm from the Solutions Download Center. Select the product <i>MSC Licensing FLEXlm</i>, version 11.13.</p> <p>Run the installation executable and follow the installation instructions.</p> <p>Default installation directory is C:\MSC.Software\MSC.Licensing\ 11.13</p> <p>Obtain a license file from MSC Software. If a nodelocked license is to be used, then obtain FLEXlm hostid with C:\MSC.Software\MSC.licensing\11.13 \ lmtools</p> <p>Select the System Settings tab and click on Save HOSTID Info to a File.</p> <p>Copy the license file to the proper location. The standard location is C:\MSC.Software\MSC.Licensing\11.13 \ licenses\license.dat</p> <p>Set the environment variable MSC_LICENSE_FILE to point to the license file.</p> <p>The license server must be running in order to run Marc and Mentat.</p> <p>Previous versions of Marc and Mentat will run with the latest FLEXlm version, so it is safe to upgrade previous installations of FLEXlm.</p>

Steps	Command Information	Description
Step 2: Install Marc and Mentat	Start the installation from the product media obtained from the Solutions Download Center. Choose Destination Location: <i>Destination Folder:</i> <div>C:\Program Files\MSC.Software\Marc\2019.1.0</div>	The first screen will prompt you to set the location where you want the products installed. This path is the <parent> directory. It defaults to C:\Program Files\MSC.Software\Marc\2019.1.0 The directories marc2019.1.0 and mentat2019.1.0 will be created in the directory that you specify. The default destination folder for Mentat is C:\Program Files\MSC.Software\Marc\2019.1.0
Setup type	You will then be presented with which product options to install. <input type="checkbox"/> Complete <input type="checkbox"/> Solver <input type="checkbox"/> Modeler	Select the Complete option to install both Marc and Mentat. Select the Solver option to only install Marc, or select the Modeler option to only install Mentat.
Program folder	Select Program Folder: <i>Program Folder:</i> <div>MSC.Software</div>	Select the folder that you wish to place the shortcut to the Mentat startup script. The default program folder name is MSC.Software.
Specify license file	License: <div>C:\MSC.Software\MSC.Licensing\11.13\licenses\license.dat</div>	When you perform the Marc installation, it will ask for the location of a valid Marc license file. Specify the location of your license file.
	<input type="checkbox"/> I would like to view the README file.	The last screen is the Setup Complete screen. It will present you with an option to view the readme.txt file. Click on the Finish button to leave Setup. Then click on the X button in the lower left hand corner of the main installation menu window or press the escape button.

Steps	Command Information	Description
Step 3: Start the License Manager	<p>Start the FLEXlm license manager.</p> <p>You may also want to enable the license manager to run as a service and to start the server at power-up by enabling these options in the Config Services section.</p>	<p>Select Start Programs → MSC.Software → MSC License 11.13 → FLEXlm Configuration Utility to configure FLEXlm.</p> <p>Select the Config Services tab and verify that the settings are correct; i.e., the License File is set correctly. Then start the license manager from the Start/Stop/Reread tab by pressing the Start Server button.</p>
Step 4: checking	<p>Run Mentat by either selecting the Mentat item in the program folder that you chose, or run it from the MS-DOS Command Prompt.</p> <p>First check that the variable MSC_LICENSE_FILE is set properly. Use an MS-DOS Command Pompt window and type:</p> <pre>set msc_license_file</pre> <p>If it is not correct, change it using the System applet in the Control Panel.</p> <p>Then run the program using:</p> <pre>cd C:\Program Files\MSC.Software\marc cd 2019.1.0\mentat2019.1.0 bin\mentat</pre> <p>Run a demo problem by selecting the menu buttons:</p> <p>Help>Run A Demo>Thermal/Structural Contact</p>	<p>Check the installation by running Mentat.</p> <p>There are three methods to run Mentat:</p> <ol style="list-style-type: none">1. Use the Mentat icon which is created on the desktop2. The link in the MSC.Software\Marc 2019.1.0 program group3. Run it from an MS-DOS Command Prompt window. <p>To run from the command prompt, do the following:</p> <ol style="list-style-type: none">1. Go to the <parent>\mentat2019.1.0 directory.2. Enter the command bin\mentat. <p>You <u>must</u> first check that the environment variable MSC_LICENSE_FILE is set properly to the full pathname of your valid license file. If it is not, the product will fail due to licensing.</p> <p>Check the Mentat program by running one of the standard Marc demonstration examples as proof of a successful installation. From the Help menu, select Run A Demo..., and then select the Thermal/Structural Contact demo. It will run for 50 increments.</p>

Steps	Command Information	Description
	<p>To check that user subroutines are working by running one of the standard user subroutine demo problems:</p> <pre>cd C:\Program Files\MSC.Software\marc cd 2019.1.0\marc2019.1.0\demo\tools\ run_marc -j e2x4 -u u2x4</pre>	<p>If you have a Fortran compiler, run a user subroutine example using:</p> <pre>run_marc -j e2x4 -user u2x4</pre> <p>Marc should give a Marc Exit number 3004.</p>
Step 5: for Network Version only		<p>If you will be using the Marc Parallel Network feature, you need to setup MPI. This service is optionally installed on the system when you installed Marc, however you will need to install it on the remote machines. Follow the Marc Parallel Network for Microsoft Windows (Parts 1 and 2) for important information on installing and running jobs with the network version.</p>
Step 6: Installing the documentation	<p>Start the installation from the product media obtained from the Solutions Download Center.</p> <p>Choose Destination Location:</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> C:\Program Files\MSC.Software\ Marc_Documentation\2019.1.0 </div>	<p>To make optimal use of the documentation, it should be installed on a computer where Marc and Mentat are available. This way, documents can be accessed interactively from within Mentat, and Marc example problems can be run.</p> <p>You can install the documentation either before or after installing Marc and Mentat. The documentation installer will check if there is a corresponding Marc and Mentat version installed, where the Marc and Mentat installer will check if there is a corresponding documentation version installed, so that they can be linked together.</p> <p>The installer will prompt you to set the location where the documentation needs to be installed. This defaults to:</p> <pre>C:\Program Files\MSC.Software\Marc_Documentati on\2019.1.0</pre> <p>You can now install the documentation to any other location. The directories <code>doc</code> and <code>examples</code> will be created in the directory specified by you.</p>

B

Microsoft Windows: Mentat Files and Subdirectories

■ Mentat Files and Subdirectories 156

Mentat Files and Subdirectories

The Mentat version you have received contains a full set of subdirectories listed below.

Table 2-1 Contents of the Mentat Directory

Basic set:	
3dx	3-D mouse driver
bin	Shell scripts and programs for Mentat
ctkernel	CAD import libraries
help	Mentat online help files
lang	Localization dictionaries
materials	Mentat material files
materials_pre2010	Old Mentat material files
menus	Mentat menu files
parasolid	Parasolid schema files
python	Python installation
qt	Graphics plug-ins
scasystem	Components interface
shlib	Shared libraries
utilities	SIFT Python scripts



Linux: Marc/Mentat Files, Subdirectories and Installation

- Marc Files and Subdirectories 158
- Mentat Files and Subdirectories 159
- Installation Procedure 160

Marc Files and Subdirectories

The Marc version you have received contains a full set of subdirectories listed below. You can save disk space by removing the example subsets that you do not need.

Table C-1 Contents of the Marc installation

Basic set	Contents: required as minimum
bin	executable Marc programs
tools	shell scripts to run and maintain the Marc programs
AF_flowmat	material data for database
xdr_lib	machine dependent libraries
Extended set	Contents: only for use with user subroutines
common	insert files containing Marc common blocks
lib	binary libraries with the compiled Marc routines
lib_shared	system dependent shared libraries.
user	templates for all available Marc user subroutines
Examples	Contents: example files
demo	input files and user subroutines for the <i>Marc Volume E: Demonstration Problems</i>
demo_ddm	input files and user subroutines for the single parallel machine as well as the network parallel version of Marc
demo_table	input files and user subroutines for the Marc Volume E: Demonstration Problems based upon Table driven input format.
test_ddm	one, two, and four processor test examples for installation testing of the single parallel machine as well as the network parallel version
Utilities	Contents
pldump	source routines for the post-file conversion programs pldump, pldump13 and pldump2000
intelmpi	MPI libraries for network parallel version

Mentat Files and Subdirectories

The Mentat version you have received contains a full set of subdirectories listed below.

Table C-2 Contents of the Mentat directory unloaded from installation package

Basic set	
3dx	3D mouse driver
bin	Shell scripts and programs for Mentat
ctkernel	CAD import libraries
help	Mentat online help files
lang	Localization dictionaries
materials	Mentat material files
materials_pre2010	Old Mentat material files
menus	Mentat menu files
parasolid	Parasolid schema files
python	Python installation
qt	Graphics plug-ins
scasystem	Components interface
shlib	Shared libraries
utilities	SIFT Python scripts

Installation Procedure

Download the file `marc_20XX_linux64_rh7.1_7.3.tar.gz`.

Steps	Command Information	Description
Step 1: Security	<pre>chmod +x msc_licensing_11.13_<platform>.bin ./msc_licensing_11.13_<platform>.bin For nodelocked license, run /msc/MSCLicensing/11.13/bin/lmhostid cp license.dat /msc/MSCLicensing/11.13/licenses/license.dat For csh and similar: setenv MSC_LICENSE_FILE /msc/MSCLicensing/11.13/licenses/license.dat For Bourne shell and similar MSC_LICENSE_FILE=/msc/MSCLicensing/ 11.13/licenses/license.dat export MSC_LICENSE_FILE Edit license.dat to set SERVER and DAEMON (see chapter 3 below for details). Start the license server: /msc/MSCLicensing/11.13/bin/lmgrd -c /msc/MSCLicensing/11.13/licenses/license.dat -l /msc/MSCLicensing/11.13/lmgrd.log</pre>	<p>Download FLEXlm from the Solutions Download Center. Select the product <i>MSC Licensing</i>, version 11.13.</p> <p>Run the installation executable. It may be necessary to give execution permission (<code>chmod +x</code>) to the downloaded file. Follow the installation instructions.</p> <p>Default installation directory is <code>/msc/MSCLicensing/11.13</code></p> <p>Obtain a license file from MSC Software. If a nodelocked license is to be used, then obtain FLEXlm hostid with <code>/msc/MSCLicensing/11.13/bin/lmhostid</code></p> <p>Copy the license file to the proper location. Standard location is <code>/msc/MSCLicensing/11.13/licenses/license.dat</code></p> <p>Set the environment variable <code>MSC_LICENSE_FILE</code> to point to the license file.</p> <p>The license server must be running in order to run marc and Mentat.</p>

Steps	Command Information	Description
Step 2: Download the product and start the install script	<pre>mkdir /tmp/marc cd /tmp/marc Copy the file from Download Center to this directory gunzip <file>.tar.gz tar xvf <file>.tar ./install.exe</pre>	<p>Download the product from the Solutions Download Center and save the file to a temporary location. Marc and Mentat are available for Red Hat 7.1/7.3 and SUSE 11SP4/12SP1 (the SUSE version should be used when you want to run Marc 20XX on Red Hat 6.7). Please download the version compatible with your system. Unzip the file and extract the contents. Run the Marc installation script <code>install.exe</code> that is in the top-level directory.</p> <p>In order to complete the installation, you need to confirm that you want to install Marc 20XX on your computer, and accept the installation conditions (by entering “I Accept”).</p>
	<p>Welcome to the Marc installation script for Linux systems</p> <p>Enter the directory to install the software (<current directory>)</p>	<p>Enter the path for the directory in which you want to install the Marc product(s). The default selection will be your current directory. You must have write permission to this directory.</p>
Step 3: Extract the files from the installation media	<p>Main Menu</p> <pre>1)Install Marc 2)Install Mentat o)Options ?)Help information q)Exit from the installation script Selection: 1</pre>	<p>Select option 1 to install Marc. This will take you to the Marc submenu.</p> <p>Note: Remember to install Marc before you install Mentat.</p>

Steps	Command Information	Description
Select the platform	Marc 2019.1.0 GA Menu L1) Install for Linux 64-bit RHEL 7.1/7.3 (~1.1 GB)	Select the platform that you will be running Marc on. The script will show the platform for which you have downloaded the version and if this is compatible with your system, it is shown as a default value in brackets after the Selection prompt. Just press Return/Enter to use the default value, otherwise enter L1 to install the Red Hat 7.1/7.3 version and L2 to install the SUSE 11SP4/12SP1 / Red Hat 6.7 version. You will also be prompted whether you want to create a system wide link to the <i>marc20XX</i> run script.
	?) Help information r) Return to previous menu	
Set the default MPI	The current default MARC_MPI is set to intelmpi Do you want to change it to hpmpi [y/N]?	The script will ask about changing the default MPI from its current setting to another MPI if supported on the installed platform. Supported MPI versions are IBM Platform MPI* and Intel MPI. The setting is stored in the file <code>run_marc_defaults</code> in the <code>marc2019.1.0/tools</code> directory.
		*In the documentation and the scripts, this is labeled as hpmpi.
	r)Return to the previous menu	Choose the Return to previous menu option to return to the main menu.

Steps	Command Information	Description
	Mentat Installation Mentat 2019.1.0 Menu l1) Install for Linux 64-bit RHEL 7.1/7.3 (~1.3 GB)	Select option 2 from the main menu to install Mentat. Select the platform that you will be running Mentat on. The script will show the platform for which you have downloaded the version and if this is compatible with your system, it is shown as a default value in brackets after the Selection prompt. Just press Return/Enter to use the default value, otherwise enter l1 to install the Red Hat 7.1/7.3 version and l2 to install the SUSE 11SP4/12SP1 / Red Hat 6.7 version.
		You will be prompted to supply the pathname to the directory where Marc is installed. If the script determines that Marc is already installed to the default location of <parent>/marc2019.1.0, then a default value for the path is displayed. Press Return/Enter to use the default value. If you do not have Marc at this site, you can ignore the prompt. You will also be prompted whether you want to create a system wide link in /usr/local/bin to the <i>mentat2019.1.0</i> run script. You must be root to perform this.
	r)Return to the previous menu	Choose the Return to previous menu option to return to the main menu. Select q to exit the installation script.
3D Mouse	Mentat supports a 3-D Mouse (or Spaceball) device. If you want to use such a device with Mentat, please make sure that the right spacenav driver is installed on your system (see http://spacenav.sourceforge.net).	

Steps	Command Information	Description
Step 4: Download the documentation and start the install script	<pre>mkdir /tmp/documentation cd /tmp/documentation</pre> <p>Copy the file from Download Center to this directory</p> <pre>gunzip <file>.tar.gz tar xvf <file>.tar ./install_doc.exe</pre>	<p>Download the documentation file from the Solutions Download Center and save the file to a temporary location. Unzip the file and extract the contents. Run the documentation installation script <code>install_doc.exe</code> that is in the top-level directory.</p> <p>It is important to enter the same directory in which you want to install the documentation as the one in which Mentat has been installed. When doing so, it is possible to interactively access the various documentation files from within Mentat and to run a selected number of procedure files illustrating some analysis capabilities (see also Checking Mentat).</p>
Step 5: Checking Marc	<pre>cd <parent>/marc2019.1.0/tools ./maintain</pre> <p>Marc Tools Menu</p> <p>1)Test Marc installation</p> <p>Test the Marc installation</p> <p>1.1)Run a Marc job without user subroutine</p>	<p>If you installed Marc, Mentat and the documentation, you can check the Marc installation by following the instructions under Checking Marc from Mentat.</p> <p>Change your directory to <code>marc2019.1.0/tools</code> and start the <code>maintain</code> script. This brings up a new menu. Select option 1, Test Marc installation. A new Test menu appears. You must choose either Serial or Parallel depending on the license you have.</p> <p>Run one of the standard Marc demonstration examples as proof of a successful installation by choosing option 1.1. If all goes well, one of the final messages on the screen should read:</p> <p>Marc 2019.1.0 Exit number 3004</p>
	1.2)Run a Marc job with user subroutine	<p>If you have a Fortran compiler on your system, choose a second demonstration example, option 1.2. Here again, Marc should give the same exit message as shown above.</p>

Steps	Command Information	Description
		Troubleshooting: 1.If you get an error message of f90 not found or ifort not found when running a job with a user subroutine and there is a Fortran compiler, its path needs to be appended to your path in the .cshrc or .profile file.
	0)Return to previous menu 0)Exit from the maintenance script	Repeatedly choose the Return/Exit option to leave the installation script. Choose option 0 to leave the maintenance script.
Step 6: Checking Mentat Checking Marc from Mentat	cd <parent>/mentat2019.1.0 ./bin/mentat Run a Demo problem by selecting the menu buttons: Help Run A Demo... Thermal/Structural Contact	Next, change your current directory to be the <parent> directory in which you installed Mentat, and then cd to mentat2019.1.0. Enter the command ./bin/mentat to start Mentat. From the Help menu, select Run A Demo..., and then select the Thermal/Structural Contact demo. It will run for 50 increments.
Step 7: For Marc Parallel Network version only		Please follow the <i>Parallel Network Version for Linux Installation Instructions</i> (Chapter 9: Hardware and Software Requirements and Chapter 9: Installation Notes) on installing and running jobs with the network version.

